

Mise à jour de la publication

Metamorphosis

The butterflies Lepidoptera

Papilionoidia of the nord-eastern

Democratic Republic of Congo

31-05-2018

Robert Ducarme

Inventaire au 01-01-2024

Mise à jour au 01-01-2024 suite aux publications récentes

- Libert Michel, Révisions et études des genres
  - o Pentila, 2019
  - o Liptena, 2018 – 2021 – 2022 - 2023
  - o Helna, 2021
  - o Stemptheria, 2020
  - o Cephetoia, 2020
  - o Geritola, 2020
  - o Obania, 2023
  
- Haydon Warren Gash
  - o Révision des Mylothris, 2-2020
  
- Pyrcz, Publications Genres
  - o Haydonia, 2020
  - o Ducarmeia, 2020
  
- Richardson Ian
  - o Révision des Neptis, 12-2019 - 12-2022
  
- Bernaud - Ducarme - Douglas
  - o Biographie du Kivu-Ituri des Acraeinae, 2021
  
- Grilain, 2022
  - o Lennia, 2022
  
- Kemal & Kocak,
  - o Torbenlarsenia, 2020

TAXON	IF	SV	CFB	MM	MB
<b>FAMILY PAPILIONIDAE Latreille, 1802</b>					
<b>Subfamily Papilioninae Latreille, 1802</b>					
<b>Tribe Leptocircini Kirby, 1896</b>					
<b>Genus Graphium Scopoli, 1777</b>					
G. angolanus baronis (Ungemach, 1932)	X	X			X
G. ridleyanus (White, 1843)	X	X	X	X	
G. tynderaeus (Fabricius, 1793)	X		X	X	
G. latreillianus therorini (Aurivillius, 1881)	X		X	X	
G. hachei moebii (Suffert, 1904)	X			X	
G. ucalegon schoutedeni Berger, 1950	X		X		
G. ucalegonides (Staudinger, 1884)	X	X	X	X	
G. almansor uganda (Lathy, 1906)	X	X			
G. leonidas leonidas (Fabricius, 1793)	X		X	X	X
G. illyris girardeau Guilbot & Plantrou, 1978	X		X		
G. gudenus (Rebel, 1911)				X	
G. policenes policenes (Cramer, 1775)	X	X	X	X	
G. bouyeri Cipolla, 2021	X			X	X
<b>Genus Papilio Linnaeus, 1758</b>					
P. mackinnoni mackinnoni Sharpe, 1891		X		X	X
P. charopus montuosus Joicey & Talbot, 1927	X	X		X	X
P. sosia pulchra Berger, 1950	X	X	X	X	X
P. chrapkowskoides chrapkowskoides Storace, 1952	X	X	X	X	X
P. nireus nireus Linnaeus, 1758	X	X	X	X	
P. zalmoxis Hewitson, 1864	X		X		
P. antimachus antimachus Drury, 1782	X		X	X	
P. rex mimeticus Rothschild, 1897		X		X	
P. cynorta Fabricius, 1793	X	X	X	X	
P. echerioides zoroastres Druce, 1878	X	X		X	
P. echerioides nioka Hancock, 1989					X
P. jacksoni ruandana Le Cerf, 1924		X		X	
P. jacksoni hecqui Berger, 1954					X
P. dardanus dardanus Brown, 1776	X	X	X	X	X
P. phorcas congoanus Rothschild, 1896	X	X	X	X	X
P. nobilis crippsi Stoneyham, 1936		X		X	
P. hesperus hesperus Westwood, 1843	X	X	X	X	X
P. lormieri lormieri Distant, 1874	X	X	X	X	
P. lormieri semlikana Le Cerf, 1924				X	
P. demodocus demodocus Esper, 1798	X	X	X	X	X
P. mechowi mechowi Dewits, 1881	X			X	
P. gallienus Distant, 1879			X		
P. mechowianus Dewitz, 1885	X		X		
P. zenobia Fabricius, 1775	X	X	X	X	
<b>Total for the family Papilionidae</b>	<b>29</b>	<b>23</b>	<b>23</b>	<b>28</b>	<b>12</b>

<b>FAMILY HESPERIIDAE Latreille, 1809</b>	<b>Ituri</b>	<b>Rift</b>	<b>Kis.</b>	<b>Mt Mitumba</b>	<b>Mt Bleu</b>
<b>Subfamily Coeliadinae Evans, 1937</b>					
<b>Genus Coeliades Hübner, 1818</b>					
C. bixana Evans, 1940	X		X	X	X
C. chalybe chalybe (Westwood, 1852)	X	X		X	X
C. forestan forestan (Stoll, 1782)	X	X	X	X	X
C. libeon (Druce, 1875)	X	X		X	
C. hanno (Plötz, 1879)	X			X	
<b>Total for the subfamily Coeliadinae</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>3</b>
<b>Subfamily Pyrginae Burmeister, 1878</b>					
<b>Genus Eagris Guenée, 1862</b>					
E. lucetia (Hewitson, 1875)	X	X		X	X
E. tigris Evans, 1937	X				
E. tigris kayonza Evans, 1956				X	
E. sabadius asoria Holland, 1896				X	
E. nottoana nottoana (Wallengren, 1857)				X	
E. decastigma purpura Evans, 1937	X			X	
<b>Genus Procampta Holland, 1892</b>					
P. admiratio Larsen & Rawlins, 2014			X	X	
<b>Genus Callengris Aurivillius, 1925</b>					
C. lacteus lacteus (Mabille, 1877)	X	X	X		
<b>Genus Tagiades Hübner, 1819</b>					
T. flesus (Fabricius, 1781)	X	X	X	X	X
<b>Genus Netrobalane Mabille, 1903</b>					
N. canopus (Trimen, 1864)	X	X		X	X
<b>Genus Caprona Wallengren, 1857</b>					
C. pillaana Wallengren, 1857		X			
<b>Genus Abantis Hopffer, 1855</b>					
A. iruma Evans, 1951	X			X	
A. leucogaster rotundala Larsen & Collins, 2014	X		X	X	
A. contigua Evans, 1937	X	X	X	X	
A. venosa Trimen, 1889				X	
A. efulensis Holland, 1896	X			X	
A. rubra Holland, 1920			X		
A. ja ja Druce, 1909	X		X		
A. lucretia etoumbiensis Miller, 1971	X				
A. ituri Larsen & Collins, 2014	X			X	

<b>Tribe Celaenorrhini Swinhoe, 1912</b>					
<b>Genus Ortholexis Karsch, 1895</b>					
O. holocausta (Mabille, 1891)	X				
<b>Genus Celaenorrhinus Hübner, 1819</b>					
C. proxima proxima (Mabille, 1877)	X			X	
C. perimitans Libert, 2014	X			X	
C. plagiatus Berger, 1978	X				
C. toro Evans, 1937	X				
C. larseni Libert, 2014		X		X	X
C. mutavallii mutavallii Libert, 2014	X	X	X	X	
C. mediostictus mediostictus Libert, 2014	X	X		X	X
C. dargei peteri Libert, 2014	X	X		X	
<b>Genus Scopulifera Libert, 2014</b>					
S. nigropunctata (Bethune & Baker, 1908)	X				
S. mulinzii Libert, 2014	X			X	
S. intricate intricate Libert, 2014	X		X	X	
<b>Genus Bettonula Libert &amp; Larsen, 2014</b>					
B. bettoni bettoni (Butler, 1902)	X	X		X	
<b>Genus Apallaga Strand, 1911</b>					
A. alluaudi (Mabille & Boulet, 1916)	X	X		X	
A. fulgens montanus Libert, 2014	X			X	
A. hecqi (Berger, 1976)	X				X
A. rwandae Libert, 2014				X	
A. beni beni (Bethune-Baker, 1908)	X			X	
A. jacksoni Libert, 2014	X				
A. homeyeri fracta Libert, 2014	X		X		
A. ovalis ovalis (Evans, 1937)	X			X	
A. perlustris (Rebel, 1914)	X			X	
A. adora Libert, 2014	X	X		X	
A. katangensis minor Libert, 2014				X	
A. darlustris Libert, 2014	X		X	X	
A. inexpectata Libert, 2014	X				
A. ducarme Libert, 2014	X	X	X		
A. orientalis Libert, 2014	X		X	X	
A. chrysoglossa (Mabille, 1891)	X				
A. boadicea howarthi (Berger, 1976)	X				
<b>Genus Eretis Mabille, 1891</b>					
E. vaga Evans, 1937	X			X	
E. buamba Evans, 1937					X
E. lugens (Rogenhofer, 1891)	X	X		X	X
E. melania Mabille, 1891	X	X			X
E. artorius Larsen & Cock, 2011				X	X
E. mitiana Evans, 1937				X	

E. camerona Evans, 1937	X			X	X
<b>Genus Sarangesa Moore, 1881</b>					
S. bouvieri (Mabille, 1877)	X				
S. tertullianus (Fabricius 1793)	X				
S. maculate (Mabille, 1891)	X	X		X	
S. thecla mabira Evans, 1956	X			X	
S. haplopa Swinhoe, 1907		X			X
S. brigida sanaga Miller, 1964	X	X	X	X	
<b>Genus Triskelionia Larsen &amp; Congdon, 2011</b>					
T. tricerata (Mabille, 1891)	X			X	
<b>Tribe Carcharodini Verity, 1940</b>					
<b>Genus Gomalia Moore, 1879</b>					
G. elma elma (Trimen, 1862)	X	X			
<b>Genus Spialia Swinhoe, 1912</b>					
S. dromus (Plötz, 1884)	X	X		X	X
S. ploetzi (Aurivillius, 1891)	X	X	X	X	X
S. zebra bifida (Higgins, 1925)	X				X
S. spio (Linnaeus, 1764)	X	X		X	X
S. diomus (Hopffer, 1855)	X				X
<b>Totals for the subfamily Pyrginae</b>	<b>59</b>	<b>24</b>	<b>15</b>	<b>48</b>	<b>17</b>
<b>Subfamily Heteropterinae Aurivillius, 1925</b>					
<b>Genus Metisella Hemming, 1934</b>					
M. orientalis orientalis (Aurivillius, 1925)		X		X	X
M. midas midas (Butler, 1894)		X		X	X
M. alticola (Aurivillius, 1925)		X		X	
M. medea medea Evans, 1937		X		X	
<b>Totals for the subfamily Heteropterinae</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>2</b>
<b>Tribe incertae sedis</b>					
<b>Genus Lepella Evans, 1937</b>					
L. lepeletier (Latreille, 1824)	X	X		X	X
<b>Genus Prosopalpus Holland, 1896</b>					
P. styla Evans, 1937	X	X			
<b>Genus Kedestes Watson, 1893</b>					
K. wallengrenii wallengrenii Trimen, 1883	X				
<b>Genus Gorgyra Holland, 1896</b>					
G. aretina (Hewitson, 1878)	X			X	
G. mocquersii Holland, 1896	X			X	
G. sara Evans, 1937	X			X	
G. pali Evans, 1937	X				
G. kalinzu Evans, 1949	X			X	
G. afikpo Druce, 1909	X	X		X	

G. Kasungu Larsen & Collins, 2014				X	
G. stewarti Larsen, 2010	X				
G. rubescens Holland, 1896	X		X		
G. pali Evans, 1937	X				
G. bibulous Riley, 1929				X	
<b>Genus Gyrogra Lindsey &amp; Miller, 1965</b>					
G. subnotata (Holland, 1894)				X	
<b>Genus Teniorhinus Holland, 1892</b>					
T. ignita (Mabille, 1877)	X	X	X	X	
T. watsoni Holland, 1892	X				
T. niger (Druce, 1910)	X		X		
<b>Genus Ceratrichia Butler, 1870</b>					
C. semlikensis Joicey & Talbot, 1921	X			X	X
C. hollandi Bethune-Baker, 1908	X	X		X	
C. brunnea brunnea Bethune-Baker, 1906	X			X	X
C. wallastoni Heron, 1909	X	X	X	X	
C. aurea Druce, 1910	X			X	
C. argyrosticta enta Evans, 1947	X			X	
C. mabirenis Riley, 1925	X			X	
<b>Genus Ceratricula Larsen, 2013</b>					
C. semilutea congdoni Larsen, 2013	X	X		X	
<b>Genus Pardaleodes Butler, 1870</b>					
P. Tibullus torensis Bethune-Baker, 1906	X	X	X	X	
P. sator pusiella Mabille, 1877	X	X	X	X	X
P. bule Holland, 1896	X	X	X	X	
P. edipus (Stoll, 1781)	X			X	
P. incerta incerta (Snellen, 1872)	X	X	X	X	X
<b>Genus Ankola Evans, 1937</b>					
A. fan (Holland, 1894)	X	X		X	
<b>Genus Xanthodisca Aurivillius, 1925</b>					
X. vibius (Hewitson, 1878)	X			X	
X. astrape (Holland, 1892)	X			X	
X. rega Mabille, 1889	X				
<b>Genus Acada Evans, 1937</b>					
A. annulifer (Holland, 1892)	X				
<b>Genus Rhabdomantis Holland, 1896</b>					
R. Galatia (Hewitson, 1868)	X	X	X		
R. sosia (Mabille, 1891)	X	X			
<b>Genus Osmodes Holland, 1892</b>					
O. adonia Evans, 1937	X		X	X	

O. laronia (Hewitson, 1868)	X		X	X	
O. hollandi Evans, 1937	X				
O. lindseyi lindseyi Miller, 1964	X				
O. adosus (Mabille, 1889)	X	X		X	
O. adon (Mabille, 1889)	X				
O. castatus Aurivillius, 1896	X				
O. thora (Plötz, 1884)	X		X	X	
O. adonides Miller, 1971	X				
O. distinct Holland, 1896	X		X		
<b>Genus Parosmodes Holland, 1896</b>					
P. axis Evans, 1937	X			X	
P. lentiginasa (Holland, 1896)	X			X	
<b>Genus Osphantes Holland, 1896</b>					
O. ogowena ogowena Mabille, 1891	X			X	
<b>Genus Acleros Mabille, 1885</b>					
A. ploetzi Mabille, 1889	X	X		X	
A. mackenii olaus (Plötz, 1884)	X	X	X	X	
A. sparsum Druce, 1909	X		X		
A. bibundica Strand, 1913	X			X	
A. nigrapex Strand, 1913	X				
<b>Genus Paracleros Berger, 1978</b>					
P. biguttulus (Mabille, 1890)	X			X	X
<b>Genus Semalea Holland, 1896</b>					
S. pulvina (Plötz, 1879)	X	X		X	
S. sextilis (Plötz, 1886)	X		X	X	
S. atrio Mabille, 1891	X				
S. arela (Mabille, 1891)	X	X		X	
<b>Genus Hypoleucis Mabille, 1891</b>					
H. tripunctata draga Evans, 1937	X			X	
H. ophiusa ophir Evans, 1937	X		X		
<b>Genus Meza Hemming, 1939</b>					
M. larea Neave, 1910	X				
M. mabillei (Holland, 1893)	X			X	
M. cybeutes pallida (Evans, 1937)	X	X		X	
M. indusiata (Mabille, 1891)	X			X	
M. leucophaea leucophaea (Holland, 1894)			X		
<b>Genus Paranymus Aurivillius, 1925</b>					
P. budonga ebogo Larsen & Collins, 2014	X			X	
P. ligora (Hewitson, 1876)	X		X	X	
P. xanthias kiellandi Congdon & Collins, 1998	X			X	
P. nevea (Druce, 1910)	X			X	

<b>Genus Andronymus Holland, 1896</b>					
A. gander Evans, 1947	X	X	X	X	
A. neander neander (Plötz, 1884)	X		X	X	
A. evander (Mabille, 1890)	X		X		
A. caesar philander (Hopffer, 1855)	X	X			
A. helles Evans, 1937	X		X		
A. fontainei Larsen & Collins, 2012	X				
A. hero Evans, 1937			X		
A. fenestrella Bethune-Baker, 1908	X				
<b>Genus Chondrolepis Mabille, 1904</b>					
C. cynthia Evans, 1936	X			X	
C. niveicornis (Plötz, 1883)	X			X	X
C. leggei (Heron, 1909)	X			X	
C. ducarmeii Larsen & Congdon, 2012				X	
<b>Genus Zophopetes Mabille, 1904</b>					
Z. cerymica (Hewitson, 1867)	X		X	X	
Z. dysmephila (Trimen, 1868)	X			X	
Z. quaternata (Mabille, 1876)		X			
Z. ganda Evans, 1937	X				
<b>Genus Gamia Holland, 1896</b>					
G. buchholzi (Plötz, 1879)	X	X			
G. shelleyi (Sharpe, 1890)	X			X	
<b>Genus Artitropa Holland, 1896</b>					
A. reducta Riley, 1925	X		X		
A. milleri milleri Riley, 1925	X			X	
<b>Genus Mopala Evans, 1937</b>					
M. orma (Plötz, 1879)	X		X		
<b>Genus Gretna Evans, 1937</b>					
G. balenge balenge (Holland, 1891)	X			X	
G. cylinda (Hewitson, 1876)	X				
G. waga (Plötz, 1886)	X				
G. carmen carmen Evans, 1937	X				
<b>Genus Pteroteinon Watson, 1893</b>					
P. laterculus (Holland, 1890)	X			X	
P. tricolor (Holland, 1890)	X		X	X	
P. laufella (Hewitson, 1868)	X				
P. caenira (Hewitson, 1867)			X		
P. concaenira concaenira Belcastro & Larsen, 1996			X		
P. concaenira gaeli Larsen, 2014					
P. capronnieri (Plötz, 1879)	X				
P. pruna Evans 1937	X				

<b>Genus Leona Evans, 1937</b>					
L. meloui (Riley, 1926)	X				
L. lena Evans, 1937	X				
L. leonara Leonora (Plötz, 1879)	X		X	X	
L. lissa lissa Evans, 1937	X			X	
L. stoehri (Karsch, 1893)				X	
<b>Genus Caenides Holland, 1896</b>					
C. dacena (Hewitson, 1876)	X	X		X	
C. dabela (Hewitson, 1876)	X			X	
C. hidaroides Aurivillius, 1896	X			X	
C. xychus (Mabille, 1891)	X	X	X	X	
C. bengala (Holland, 1891)	X				
C. kangvensis Holland, 1896	X	X	X		
<b>Genus Monza Evans, 1937</b>					
M. cretacea (Snellen, 1872)	X	X	X	X	X
M. alberti (Holland, 1896)	X	X		X	
M. punctata crola Evans, 1937	X	X	X	X	
<b>Genus Lennia Grishin, 2022</b>					
L. maracanda Hewitson, 1876	X				
L. lota Evans, 1937	X				
<b>Genus Melphinyet Larsen, 2012</b>					
M. torace (Mabile, 1891)	X			X	
M. unistriga (Holland, 1893)	X			X	
M. flavina (Evans, 1937)	X			X	
M. statirides (Holland, 1896)	X				
<b>Genus Noctulana Larsea, 2012</b>					
N. noctula (Druce, 1909)	X			X	
<b>Genus Fresna Evans, 1937</b>					
F. netopha (Hewitson, 1878)	X		X	X	
F. joppa Evans, 1937				X	
F. nyassae (Hewitson, 1878)	X			X	
F. maesseni Miller, 1971	X				
F. carlo Evans, 1937	X			X	
F. plata Evans, 1937	X			X	
F. cojo (Karsch, 1893)	X				
<b>Genus Platylesches Holland, 1896</b>					
P. galesa (Hewitson, 1877)	X			X	
P. picanini (Holland, 1894)	X			X	
P. rasta anka Evans, 1937	X			X	
P. chamaeleon tero Evans, 1937			X		
P. lamba Neave, 1910	X			X	
P. moritili (Wllengren, 1857)	X			X	
P. panga Evans, 1937	X				

P. fosta Evans, 1937				X	
<b>Tribe Baoroni Doherty, 1886</b>					
<b>Genus Zenonia Evans, 1935</b>					
Z. zeno (Trimen, 1864)	X	X		X	X
Z. crasta Evans, 1937				X	
<b>Genus Pelopidas Walker, 1870</b>					
P. thrax (Hübner, 1821)	X				
P. mathias mathias (Fabricius, 1798)	X	X		X	
<b>Genus Borbo Evans, 1949</b>					
B. lugens (Hopffer, 1855)		X		X	
B. detecta (Trimen, 1893)		X			X
B. borbonica borbonica (Boisduval, 1833)	X	X	X	X	X
B. fanta (Evans, 1937)	X	X		X	
B. fatuellus fatuellus (Hopffer, 1855)	X	X		X	
B. fallax (Gaede, 1916)	X	X		X	X
B. micans (Holland, 1896)	X	X		X	
B. kaka (Evans, 1938)		X		X	
<b>Genus Larsenia Chiba, Fan &amp; Safian, 2016</b>					
L. gemella (Mabille, 1884)		X			X
L. holtzi (Plötz, 1883)	X	X		X	
L. perobscura (Druce, 1912)	X	X		X	
<b>Genus Parnara Moore, 1881</b>					
P. monasi (Trimen, 1889)	X	X			
<b>Genus Afrogegenes De Jong &amp; Coutsis, 2017</b>					
A. hottentota (Latreille, 1824)	X	X		X	X
A. letterstedti (Wallengren, 1857)	X	X		X	X
<b>Totals for the subfamily Hesperinae</b>	<b>142</b>	<b>44</b>	<b>38</b>	<b>99</b>	<b>16</b>
<b>Totals for the family Hesperidae</b>	<b>206</b>	<b>75</b>	<b>45</b>	<b>156</b>	<b>38</b>

<b>FAMILY NYMPHALIDAE Rafinesque, 1815</b>					
<b>Subfamily Danainae Boisduval, 1833</b>					
<b>Tribe Danaini Boisduval, 1833</b>					
<b>Subtribe Danaina Boisduval, 1833</b>					
<b>Genus Danaus Kluk, 1780</b>					
D. chrysippus chrysippus Linnaeus, 1758)	X	X	X	X	X
<b>Genus Tirumala Moore, 1880</b>					
T. petiverana (Doubleday, 1847)	X	X	X		X
T. formosa mercedonia (Karsch, 1894)	X	X		X	X
<b>Subtribe Amaurina Le Cerf, 1922</b>					
<b>Genus Amauris Hübner, 1816</b>					
A. ellioti ellioti Butler, 1895		X		X	
A. niavius niavius (Linnaeus, 1758)	X	X	X	X	X
A. tartarea tartarea Mabilie, 1876	X		X	X	
A. Hecate hecate (Butler, 1866)	X	X	X	X	X
A. hyalites hyalites Butler, 1874	X		X	X	
A. inferna grogani Sharpe, 1901		X		X	X
A. albimaculata magnimacula Rebel, 1914	X			X	
A. echeria terrena Talbot, 1940	X			X	X
A. crawshayi oscarus Thurau, 1904					X
<b>Totals for the subfamily Danainae</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>10</b>	<b>8</b>

TAXON					
<b>Subfamily Libytheinae Boisduval, 1833</b>					
<b>Genus Libythea Fabricius, 1807</b>					
L. labdaca Westwood, 1851	X	X	X	X	
<b>Totals for the subfamily Libytheinae</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>
<b>Subfamily Satyrinae Boisduval, 1833</b>					
<b>Tribe Elymniini Herrich-Schaeffer, 1864</b>					
<b>Genus Elymnias Hübner, 1816</b>					
E. bammakoo rattrayi Sharpe, 1902	X			X	
<b>Tribe Melanitini Reuter, 1896</b>					
<b>Genus Gnophodes Doubleday, 1849</b>					
G. grogani Sharpe, 1901		X		X	X
G. heroni Pyrcz & Collins, 2020				X	X
G. parmeno Doubleday, 1849	X	X	X	X	X
<b>Genus Haydonia Pyrcz, 2020</b>					
H. chelys Fabricius, 1793	X	X		X	
H. pythia Fabricius, 1793	X	X	X	X	X
H. harpa Karsch, 1893	X	X	X		
<b>Genus Ducarmeia Pyrcz, 2020</b>					
D. ansorgei Rothschild, 1904	X	X			X
<b>Genus Melanitis Fabricius, 1807</b>					
M. leda (Linnaeus, 1758)	X	X	X	X	X
M. Libya Distant, 1882	X				
<b>Tribe Satyrini Boisduval, 1833</b>					
<b>Subtribe Mycalesina Reuter, 1896</b>					
<b>Genus Bicyclus Kirby, 1871</b>					
B. alboplaga (Rebell, 1914)	X				
B. hewitsoni (Doumet, 1861)	X			X	
B. medontias (Hewitson, 1873)	X			X	X
B. iccius (Hewitson, 1865)	X		X	X	
B. bergeri Condamin, 1965	X				X
B. swadneri Fox, 1963	X		X		
B. graueri graueri (Rebel, 1914)	X			X	
B. sebetus (Hewitson, 1877)	X	X	X	X	X
B. mesogena ugandae (Riley, 1926)		X		X	
B. sambulos sambulos (Hewitson, 1877)	X	X		X	
B. collinsi Aduse-Poku, Lees & Wahlberg, 2016	X			X	
B. auricruda fulgida Fox, 1963	X	X		X	
B. vulgaris (Butler, 1868)	X	X		X	X
B. dorothea dorothea (Cramer, 1779)	X		X		
B. moyses Condamin & Fox, 1964	X	X			X
B. jefferyi Fox, 1963	X	X	X	X	X

B. sandoce (Hewitson, 1877)	X	X		X	
B. aurivillii aurillii (Butler, 1896)		X			
B. albocincta (Rebel, 1914)				X	
B. matuta matuta (Karsch, 1894)		X		X	
B. persimilis (Joicey & Talbot, 1931)	X	X	X	X	X
B. sanaos (Hewitson, 1866)	X	X	X		
B. sophrosyne sophrosyne (Plötz, 1880)	X	X	X	X	X
B. mollitia (Karsch, 1895)	X	X		X	
B. smithi smithi (Aurivillius, 1899)	X	X		X	
B. golo (Aurivillius, 1893)	X	X		X	
B. ignobilis (Butler, 1870) – acutus Condamin, 1965	X		X	X	
B. brakefieldi Brattström, 2012	X				
B. xeneoides Condamin, 1961	X		X		
B. dubia (Aurivillius, 1893)				X	
B. dentate (Charpe, 1898)	X	X		X	X
B. saussurei saussurei (Dewitz, 1879)		X		X	X
B. suffusa ituriensis Condamin, 1970				X	X
B. safitza safitza (Hewitson, 1850)	X	X	X	X	X
B. campus (Karsch, 1893)				X	X
B. funebris (Guérin-Meneville, 1844)	X	X	X	X	X
B. milyas (Hewitson, 1864)		X			
B. procora (Karsch, 1893)	X	X			
B. uniformis (Bethune-Baker, 1908)	X			X	
B. analis (Aurivillius, 1895)	X			X	
B. heathi Brattström, 2015	X				
B. subtillisurae Brattström, 2015	X			X	
B. angulosa Butler, 1868	X	X			
<b>Genus Hallelesia Condamin, 1961</b>					
H. asochis congoensis (Joicey & Talbot, 1921)	X		X	X	
<b>Genus Brakefieldia Aduse-Polu, Lees &amp; Wahlberg, 2016</b>					
B. phaea ignota (Libert, 2006)	X	X			X
B. peitho reducta (Libert, 2006)	X		X	X	X
<b>Subtribe Lethina Reuter, 1896</b>					
<b>Genus Aphysoneura Karsch, 1894</b>					
A. scapulifasciata zairensis Kielland, 1989				X	
<b>Subtribe Ypthimina Reuter, 1896</b>					
<b>Genus Ypthima Hübner, 1818</b>					
Y. asterope asterope (Klug, 1832)		X		X	
Y. simplicia Butler, 1876	X	X		X	X
Y. doleta Kirby, 1880	X	X	X		X
Y. albida albida Butler, 1888	X	X		X	X
<b>Genus Ypthimomorpha van Son, 1955</b>					
Y. itonia (Hewitson, 1865)	X	X		X	X
<b>Totals for the subfamily Satyrinae</b>	<b>49</b>	<b>36</b>	<b>19</b>	<b>34</b>	<b>24</b>

<b>Subfamily Charaxinae Guenée, 1865</b>					
<b>Tribe Pallini Rydon, 1971</b>					
<b>Genus Palla Hübner, 1819</b>					
P. ussheri interposita Joicey & Talbot, 1925	X	X	X		
P. publius centralis van Someren, 1975	X		X		
P. violinitens bwamba van Someren, 1975	X		X		
<b>Tribe Charaxini Guenée, 1865</b>					
<b>Genus Charaxes Ochsenhelmer, 1816</b>					
C. varanes vologeses (Mabille, 1876)	X	X		X	X
C. fulvescens monitor Rothschild, 1900	X	X	X	X	X
C. acuminatus kigezia van Someren, 1963		X		X	X
C. candiope (Godart, 1824)	X	X	X	X	X
C. protoclea nothodes Jordan, 1911	X	X	X	X	X
C. boueti boueti Feisthamel, 1850	X	X	X	X	
C. rectans Rothschild & Jordan, 1903					X
C. alticola Grünberg, 1911		X		X	
C. Cynthia kinduana Le Cerf, 1923	X	X	X	X	X
C. Lucretius maximus van Someren, 1971	X	X	X	X	X
C. epijasius Reiche, 1850		X			
C. saturnus brunnescens Poulton, 1926		X		X	
C. castor castor (Cramer, 1775)	X	X	X	X	X
C. brutus angustus Rothschild, 1900	X	X	X	X	X
C. ansorgei ruandana Talbot, 1932				X	X
C. pollux pollux (Cramer, 1775)	X	X	X	X	X
C. eudoxus mechowi Rothschild, 1900	X		X	X	X
C. druceanus obscura Rebel, 1914		X			
C. richelmanni richelmanni Röber, 1936	X		X		
C. ducarmeii Plantrou, 1982				X	
C. numenes aequatorialis van Someren, 1972	X	X	X	X	X
C. tiridates tiridatus Röber, 1936	X	X	X	X	X
C. bipunctatus ugandensis van Someren, 1972	X	X	X	X	X
C. mixtus mixtus Rothschild, 1894	X		X		
C. smaragdalis smaragdalis Butler, 1866	X	X	X	X	X
C. xiphares burgessi van Son, 1953				X	
C. bohemani bohemani Felder & Felder, 1859				X	
C. imperialis ugandicus van Someren, 1972	X		X	X	X
C. ameliae ameliae Doumet, 1861	X	X	X	X	
C. pythodorus pythodorus Hewitson, 1873	X	X	X	X	
C. hadrianus Ward, 1871	X		X	X	
C. nobilis nobilis Druce, 1873	X		X	X	
C. acraeoides Druce, 1908	X				
C. fournierae fournierae Le Mout, 1930				X	
C. zingha (Stoll, 1780)	X	X	X	X	X
C. etesipe etesipe (Godart, 1824)	X	X	X	X	X
C. achaemenes monticola van Someren, 1970				X	
C. anticlea adusta Rothschild, 1900	X	X	X	X	X
C. baumanni bwamba van Someren, 1971		X			
C. opinatus Heron, 1909		X		X	X

C. taverniersi Berger, 1975			X		
C. thysi Capronnier, 1889			X		
C. hildebrandti hildebrandti (Dewitz, 1879)	X		X	X	
C. virilis lenis Henning, 1989	X	X	X	X	X
C. catachrous van Someren & Jackson, 1952	X	X	X	X	X
C. etheocles carpenteri van Someren & Jackson, 1957	X	X	X	X	X
C. mafuga van Someren, 1969				X	X
C. cedreatis Hewitson, 1874	X	X	X	X	X
C. viola picta van Someren & Jackson, 1952	X	X		X	X
C. kirki suk Carpenter & Jackson, 1950		X			
C. pleione bebra Rothschild, 1900	X		X	X	X
C. paphianus subpallida Joicey & Talbot, 1925	X	X	X	X	X
C. hahldeni Homeyer & Dewitz 1882	X		X	X	
C. mafugensis Jackson, 1956		X		X	X
C. nichetes nichetes Grose-Smith, 1883	X	X	X	X	X
C. lycurgus (Fabricius, 1793)	X		X	X	
C. zelica depuncta Joicey & Talbot, 1921	X		X	X	X
C. porthos dummeri Joicey & Talbot, 1922	X		X	X	
C. doubledayi Aurivillius, 1899	X		X	X	
C. mycerina nausicaa Staudinger, 1891	X		X	X	
C. trajanus vansomereni (Poulton, 1929)	X	X	X	X	X
C. eurinome ansellica (Butler, 1870)	X		X		
C. eurinome lequeuxi (Turlin, 2009)	X	X			
C. crossleyi magnifica (Rebel, 1914)	X		X	X	
C. eupale latimargo Joicey & Talbot, 1921	X	X	X	X	X
C. minor Joicey & Talbot, 1921	X	X	X	X	X
C. montis Jackson, 1956				X	
C. shiltzei Bouyer, 1991				X	X
<b>Totals for the subfamily Charaxinae</b>	<b>48</b>	<b>40</b>	<b>48</b>	<b>56</b>	<b>36</b>
<b>Subfamily Nymphalinae Rafinesque, 1815</b>					
<b>Tribe Nymphalini Rafinesque, 1815</b>					
<b>Genus Antanartia Rothschild &amp; Jordan, 1903</b>					
A. schaeneia dubia Howarth, 1966		X		X	X
A. delius delius (Drury, 1782)	X	X	X	X	
A. abyssinica vansomereni Howarth, 1966	X			X	
A. dimorphica dimorphica Howarth, 1966	X	X		X	X
<b>Genus Vanessa Fabricius, 1807</b>					
V. cardui (Linnaeus, 1758)	X	X		X	X
<b>Tribe Kallimini Doherty, 1886</b>					
<b>Genus Catacroptera Karsch, 1894</b>					
C. cloanthe cloanthe (Stoll, 1781)	X	X		X	X
<b>Tribe Junoniini Reuter, 1896</b>					
<b>Genus Junonia Hübner, 1819</b>					
J. chorimene (Guérin-Meneville, 1844)	X	X			
J. gregorii Butler, 1896	X			X	X

J. terea tereoides (Butler, 1901)	X	X		X	X
J. sophia infracta Butler, 1888	X	X		X	X
J. westermanni westermanni Westwood, 1870	X	X	X	X	X
J. oenone oenone (Linnaeus, 1758)	X	X		X	X
J. shmiedeli (Fielder, 1920)	X	X		X	X
J. stygia (Aurivillius, 1894)	X	X	X	X	X
J. hierta cebrene Trimen, 1870	X	X		X	
J. orithya madagascariensis Guenée, 1865		X			X
<b>Genus Kamilla Collins &amp; Larsen, 1991</b>					
K. ansorgei Rothschild, 1899	X			X	
K. cymodoce lugens Schultze, 1912	X	X	X		
<b>Genus Salamis Boisduval, 1833</b>					
S. cacta cacti (Fabricius, 1793)	X	X	X	X	
<b>Genus Protogoniomorpha Wallengren, 1857</b>					
P. temora temora (Felder & Felder, 1867)	X	X		X	X
P. parhassus (Drury, 1782)	X	X	X	X	
P. anacardii nebulosa (Trimen, 1881)		X			
<b>Genus Precis Hübner, 1819</b>					
P. archesia ugandensis (McLeod, 1980)	X				
P. ceryne ceryne (Boisduval, 1847)	X				X
P. sinuata hecqui Berger, 1981		X		X	X
P. pelarga (Fabricius, 1775)	X	X		X	X
P. Octavia Octavia (Cramer, 1777)		X		X	X
P. milonia winigensis Strand, 1909	X		X	X	
P. actia Distant, 1880	X				X
P. rauana rauana (Grose-Smith, 1898)	X	X	X	X	
P. tugela pyriformis (Butler, 1896)				X	
<b>Genus Hypolimnas Hübner, 1819</b>					
H. misippus (Linnaeus, 1764)	X	X		X	
H. salmacis salmacis (Drury, 1773)	X	X	X		
H. monteironis monteironis (Druce, 1874)	X	X		X	
H. dinarcha dinarcha (Hewitson, 1863)	X	X	X		
H. bartelotti Grose-Smith, 1890	X		X	X	
H. anthedon anthedon (Doubleday, 1845)	X	X	X	X	X
<b>Tribe incertae sedis</b>					
<b>Genus Kallimoides Shirôzu &amp; Nakanishi, 1984</b>					
K. rumia kasaiensis Niepelt, 1911	X	X	X	X	X
<b>Genus Vanessula Dewitz, 1887</b>					
V. milca latifascia Joicey & Talbot, 1928	X	X		X	X
<b>Totals for the subfamily Nymphalinae</b>	<b>33</b>	<b>26</b>	<b>11</b>	<b>28</b>	<b>19</b>

<b>Subfamily Cyrestinae Guenée, 1865</b>					
<b>Genus Cyrestis Boisduval, 1832</b>					
C. Camillus Camillus (Fabricius, 1781)	X	X	X	X	
Totals for the subfamily Cyrestinae	1	1	1	1	0
<b>Subfamily Biblidinae Boisduval, 1833</b>					
<b>Tribe Biblidini Boisduval, 1833</b>					
<b>Genus Biblia Hübner, 1819</b>					
B. anvatara crameri Aurivillius, 1894	X	X	X	X	X
Genus Mesoxantha Aurivillius, 1899					
M. ethosea ethoseoides Rebel, 1914	X	X	X	X	
<b>Genus Ariadne Horsfield, 1829</b>					
A. enotrea suffuse (Joicey & Talbot, 1921)	X	X	X	X	
A. albifascia (Joicey & Talbot, 1921)	X	X	X		
A. personata (Joicey & Talbot, 1921)	X				
<b>Genus Neptidopsis Aurivillius, 1899</b>					
N. ophione nucleate Grünberg, 1911	X	X	X	X	X
<b>Genus Eurytela Boisduval, 1833</b>					
E. hiarbas hiarbas (Drury, 1782)	X	X	X	X	X
E. dryope angulate Aurivillius, 1899	X	X		X	X
E. alinda Mabille, 1893	X			X	
<b>Tribe Epicaliini Guenée, 1865</b>					
<b>Genus Sevenia Koçak, 1996</b>					
S. occidentaliu occidentaliu (Mabille, 1876)	X		X	X	
S. garage (Karsch, 1892)	X	X		X	X
S. boisduvali omissa (Rothschild, 1918)	X			X	X
<b>Totals for the subfamily Biblidinae</b>	<b>13</b>	<b>9</b>	<b>7</b>	<b>11</b>	<b>7</b>
<b>Genus Apaturopsis Aurivillius, 1899</b>					
A. cleochares cleochares (Hewitson, 1873)	X	X	X	X	X
<b>Totals for the subfamily Apaturinae</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>
<b>Subfamily Heliconiinae Swainson, 1822</b>					
<b>Tribe Acraeini Boisduval, 1833</b>					
<b>Subtribe Acraeina Boisduval, 1833</b>					
<b>Genus Acraea Fabricius, 1807</b>					
A. unimaculata Grosse Smith, 1898				X	
A. kraka Aurivillius, 1893	X			X	
A. rogersi rogersi Hewitson	X	X	X	X	X
A. egina egina (Cramer, 1775)	X	X	X	X	X
A. buettneri Rogenhofer, 1890	X	X	X	X	
A. abdera abdera Hewitson, 1852	X	X		X	X
A. cepheus (Linnaeus, 1758)	X	X	X	X	

A. pseudegina Westwood, 1852	X	X	X	X	X
A. asboloplintha asboloplintha Karsch, 1894	X	X		X	X
A. caecilia (Fabricius, 1781)		X			X
A. zetes zetes (Linnaeus, 1758)	X	X	X	X	X
A. leucographa leucographa Ribbe, 1889	X	X	X	X	
A. insignis insignis Distant, 1880	X	X		X	
A. cerasa cerita Sharpe, 1906				X	
A. endocosta Le Doux, 1928	X				
A. eltinghami Joicey & Talbot, 1921	X			X	
A. hamata batangi Bernaud, Ducarme & Pierre, 2017				X	
A. neobule neobule Doubleday, 1847	X	X	X	X	
A. quirina quirina (Fabricius, 1781)	X	X		X	X
A. epaea epaea (Cramer, 1779)	X	X	X	X	X
A. kivuana (Jordan, 1910)				X	
A. paragea Grose-Smith, 1900	X	X	X	X	
A. epitellus Staudinger, 1896	X				
A. tellus tellus (Aurivillius, 1893)	X		X	X	
A. schubotzi (Grünberg, 1911)	X		X	X	
A. ducarme Bernaud & Pierre, 2012	X	X		X	
A. formosa (Butler, 1874)	X			X	
A. kivuensis (Joicey & Talbot, 1927)	X	X		X	X
A. poggei nelson Grose-Smith & Kirby, 1892	X	X	X	X	X
A. leopoldina brevimacula (Talbot, 1928)	X		X		
A. epiprotea (Butler, 1874)	X	X			
A. elongate (Butler, 1874)	X		X		
A. persanguinea (Rebel, 1914)	X			X	
A. alcinoe alcinoe Felder & Felder, 1865	X		X	X	
A. macaria hemileuca (Jordan, 1914)	X			X	
A. consanguinea consanguinea Aurivillius, 1893	X		X	X	
A. quadricolor latifasciata (Sharpe, 1892)		X		X	X
A. pseuderyta Godman & Salvin, 1890	X		X	X	
A. macarista macarista (Sharpe, 1906)	X	X	X	X	
A. macaroides Aurivillius, 1893	X				
A. lequeuxi Bernaud & Pierre, 2012	X				
A. bana Pierre & Bernaud, 2012	X				
<b>Subtribe Actinotina Henning, 1992</b>					
<b>Genus Telchinia Hübner, 1819</b>					
T. perenna perenna (Doubleday, 1847)	X	X	X	X	X
T. cinerea (Neave, 1904)	X	X		X	
T. orinata (Oberthür, 1893)	X	X	X	X	
T. penelope penelope (Staudinger, 1896)	X	X	X	X	X
T. ntebiae ntebiae (Sharpe, 1897)	X	X	X	X	
T. amicitiae (Heron, 1909)				X	
T. quirinalis (Grose Smith, 1900)	X	X	X	X	
T. parrhasia servona (Godart, 1819)	X	X	X	X	
T. peneleos pelasgia (Grose-Smith, 1900)	X	X	X	X	X
T. pelopeia (Staudinger, 1896)	X		X	X	
T. grosvenori (Eltringham, 1912)		X			
T. oreas oreas (Sharpe, 1891)	X	X		X	X

T. semivitrea (Aurivillius, 1895)	X	X	X	X	
T. iturina (Grose-Smith, 1890)	X	X	X	X	
T. kalinzu (Carpenter, 1936)	X	X		X	
T. humilis (Sharpe, 1897)	X			X	
T. Pharsalus Pharsalus (Ward, 1871)	X	X		X	X
T. encedon encedon (Linnaeus, 1758)	X	X		X	X
T. encedana (Pierre, 1976)	X	X	X	X	X
T. ansorgei (Grose-Smith, 1898)		X		X	X
T. disjuncta (Grose-Smith, 1898)		X		X	X
T. jodutta jodutta (Fabricius, 1793)	X	X	X	X	X
T. esebria (Hewitson, 1861)	X	X			
T. alciope (Hewitson, 1852)	X	X	X	X	
T. aurivillii aurivillii (Staudinger, 1896)	X	X	X	X	
T. alciopoides (Joicey & Talbot, 1921)	X			X	X
T. lycoa (Godart, 1819)	X	X	X	X	
T. toruna (Grose-Smith, 1900)		X		X	X
T. serena (Fabricius, 1775)	X	X	X	X	X
T. ventura ochrascens (Sharpe, 1902)				X	
T. pierrei (Berger, 1981)		X		X	
T. acerata (Hewitson, 1874)	X	X		X	X
T. althoffi rubrofasciata (Aurivillius, 1895)	X	X	X	X	
T. oberthueri laetopicta Rebel, 1914	X	X	X		
T. uvui uvui (Grose-Smith, 1890)		X		X	X
T. lumiri (Bethune-Baker, 1908)	X	X		X	
T. bonasia bonasia (Fabricius, 1775)	X	X	X	X	X
T. sotikensis sotikensis (Sharpe, 1892)	X	X		X	X
T. viviana (Staudinger, 1896)	X	X		X	X
T. orestia orestia (Hewitson, 1874)	X	X		X	X
T. vesperalis (Grose Smith, 1890)	X		X	X	
T. pentapolis pentapolis (Ward, 1871)	X	X	X	X	
T. rangatana bettiana Joicey & Talbot, 1921				X	
T. cabira Hopffer, 1855				X	X
T. wigginsi Neave, 1904					X
T. anacreontica anacreontica (Grosse-Smith, 1898)				X	X
<b>Tribe Vagrantini Pinratana &amp; Eliot, 1996</b>					
<b>Genus Lachnoptera Doubleday, 1847</b>					
L. anticlia (Hübner, 1819)	X	X	X	X	
<b>Genus Phalanxia Horsfield, 1829</b>					
P. phalanxia aethiopica (Rothschild & Jordan, 1903)	X	X		X	X
P. eurytis eurytis (Doubleday, 1847)	X	X		X	X
<b>Tribe Argynnini Swainson, 1833</b>					
<b>Subtribe Argynnina Swainson, 1833</b>					
<b>Genus Issoria Hübner, 1819</b>					
I. baumanni excelsior (Butler, 1896)		X		X	
<b>Genus Pardopsis Trimen, 1887</b>					
P. punctatissima (Boisduval, 1833)	X	X			

<b>Totals for the subfamily Heliconiinae</b>	<b>75</b>	<b>62</b>	<b>41</b>	<b>72</b>	<b>32</b>
<b>Subfamily Limenitidinae Behr, 1864</b>					
<b>Tribe Pseudoneptini Dhungel &amp; Wahlberg, 2018</b>					
<b>Genus Pseudoneptis Snellen, 1882</b>					
P. bugandensis ianthe Hemming, 1964	X	X	X	X	
<b>Tribe Cymothoini Dhungel &amp; Wahlberg, 2018</b>					
<b>Genus Cymothoe Hübner, 1819</b>					
C. reinholdi vitalis Rebel, 1914	X	X	X	X	
C. beckeri theodosia Staudinger, 1890	X	X	X		
C. confusa Aurivillius, 1887	X	X			X
C. orphnina orphnina Karsch, 1894	X				X
C. Cyclades (Ward, 1871)	X	X	X		
C. ochreate Grose Smith, 1890	X		X		
C. lurida tristis Overlaet, 1952	X		X		
C. colmanti Aurivillius, 1898	X				
C. hyarbita hyarbitina Aurivillius, 1897	X				
C. hesiodotus clarior Overlaet, 1952	X		X	X	
C. haynae diphyia, 1894	X		X	X	
C. harmilla micans Bouyer & Joly, 1995	X	X	X		
C. indamora mariae Drufrane, 1945	X	X	X	X	
C. collarti collarti Overlaet, 1942					X
C. zenkeri langi Holland, 1920	X		X		
C. herminia herminia (Grose-Smith, 1887)	X	X	X	X	
C. weymeri weymeri Suffert, 1904	X	X	X	X	
C. eris capellides Holland, 1920			X		
C. caenis (Drury, 1773)	X	X	X	X	
C. bouyeri Vande weghe, 2011				X	
C. arcuata Overlaet, 1945			X		
C. angulifascia Aurivillius, 1897			X		
C. aramis schoutedeni Overlaet, 1952	X	X			
C. distinct kivuensis Overlaet, 1952	X		X	X	
C. coccinata vrydaghi Overlaet, 1944	X	X	X	X	
C. excels regisleopoldi Overlaet, 1944	X		X	X	
C. reginaeelisabethae reginaeelisabethae Holland, 1920	X	X	X		
C. sangaris sangaris (Godart, 1824)			X		
C. hobarti mwamikazi Overlaet, 1952	X	X		X	
C. jodutta mostinckxi Overlaet, 1952	X	X		X	
C. jodutta cicerones Ward, 1871			X		
C. isiro Rydon, 1981	X				
C. meridionalis ghesquierei Overlaet, 1944			X		
<b>Genus Harma Doubleday, 1848</b>					
H. theobene superna (Fox, 1968)	X	X	X	X	
<b>Tribe Neptini Newman, 1870</b>					
<b>Genus Neptis Fabricius, 1807</b>					
N. laeta Overlaet, 1955	X	X		X	X

N. serena serena Overlaet, 1955	X	X			X
N. lormanni Aurivillius, 1896	X	X		X	
N. jamesoni Hewitson, 1874	X		X		
N. rothschildi Eltringham, 1921	X				
N. constantiae constantiae Carcasson, 1961	X			X	
N. alta Overlaet, 1955	X	X	X		
N. seeldrayersi Aurivillius, 1895	X	X	X	X	
N. melicerta melicerta Drury, 1773	X		X	X	
N. agouale parallela Collins & Larsen, 1996	X	X	X	X	
N. nicobule Holland, 1892	X	X		X	
N. nicomedes Hewitson, 1874	X		X	X	X
N. nina Staudinger, 1896				X	
N. stellata Pierre & Baltus, 2007	X			X	
N. nigra Pierre & Baltus, 2007	X		X	X	
N. nicoteles Hewitson, 1874	X			X	
N. vindo Pierre-Baltus, 1978	X		X		
N. mixophyes Holland, 1892	X		X		
N. rosa Pierre-Baltus, 2007	X		X		
N. conspicua Neave, 1904	X			X	X
N. continuata Holland, 1892	X		X		
N. metanira Holland, 1892	X		X	X	X
N. ducarmeii Richardson, 2022	X			X	
N. ginettae Richardson, 2022	X			X	
N. sobrina Richardson, 2022	X				
N. marci Collins & Larsen, 1998	X			X	
N. puella Aurivillius, 1894	X	X		X	
N. mpassae Pierre-Baltus, 2007	X				
N. strigata kakamega Collins et Larsen, 1996	X	X	X	X	
N. lugubris Rebel, 1914	X			X	
N. paulinae Richardson, 2022	X				
N. liberti Pierre - Baltus, 1998	X	X			
N. nysiades Hewitson, 1808	X				
N. carlsbergi Collins & Larsen, 2005	X				
N. jamesi Richardson, 2022	X			X	
N. nanciae Richardson, 2022				X	
N. trigonophora melicertula Strand, 1911	X	X	X		
N. nemetes nemetes Hewitson, 1868	X	X	X	X	
N. saclava marpessa Hopffer, 1855	X	X		X	X
N. metella metella Doubleday, 1850	X	X	X	X	
N. occidentalis occidentalis Rothschild, 1918	X	X		X	
N. exaleuca suffuse Rothschild, 1918	X	X		X	X
N. ochracea ochracea Neave, 1904	X				
N. ochracea ochreate Gaede, 1915	X	X		X	X
<b>Tribe Adoliadini Doubleday, 1845</b>					
<b>Subtribe Bebearina Hemming, 1960</b>					
<b>Genus Evena Westwood, 1850</b>					
E. crithea (Drury, 1773)	X	X	X	X	
E. angustatum (Felder & Felder, 1867)	X	X	X	X	
E. oberthueri (Karsch, 1894)	X	X	X	X	

<b>Genus Aterica Boisduval, 1833</b>					
A. galene extensa Heron, 1809	X	X	X	X	X
<b>Genus Pseudargynnis Karsch, 1892</b>					
P. hegemone (Godart, 1819)	X	X		X	X
<b>Genus Cyandra Schatz, 1887</b>					
C. opis berdardii Lagnel, 1967	X	X		X	X
<b>Genus Euryphura Staudinger, 1891</b>					
E. chalcis chalcis (Felder & Felder, 1860)	X	X	X	X	X
E. fontanei Hecq, 1990			X		
E. plautilla (Hewitson, 1865)	X		X	X	
E. athymoides Berger, 1981	X	X	X	X	X
E. ducarmeii Hecq, 1990 (E. euthaliodes)			X		
E. congoensis Joicey & Talbot, 1921	X				
E. jolyana Hecq, 1987			X		
<b>Genus Euryphurana Hecq, 1992</b>					
E. nobilis nobilis (Staudinger, 1891)	X			X	
<b>Genus Harmilla Aurivillius, 1893</b>					
H. elegans hawkeri Joicey & Talbot, 1926	X	X		X	
<b>Genus Euphaedra Hübner, 1819</b>					
E. rubrocostata rubrocostata (Aurivillius, 1897)	X			X	
E. aurivillii Niepelt, 1914	X			X	
E. symphona symphona Bethune-Baker, 1908	X			X	
E. medon fraudata Thureau, 1903	X	X		X	X
E. medon neustetteri Niepelt, 1915	X		X		
E. thalie Hecq, 1981	X			X	
E. ducarmeii Hecq, 1977	X			X	
E. zaddachii zaddachii Dewitz, 1879	X			X	X
E. barnsi Joicey & Talbot, 1922				X	
E. mirabilis nubila Hecq, 1986			X		
E. hewitsoni angusta Hecq, 1974	X			X	
E. maxima Holland, 1920	X				
E. graueri Rothschild, 1918				X	
E. karschi Bartel, 1905					X
E. sinuosa sinuosa Hecq, 1974	X			X	X
E. caerulescens caerulescens Grose Smith, 1890	X	X			
E. diffusa diffusa Gaede, 1916	X	X		X	
E. ansorgei Rothschild, 1918	X			X	
E. imitans Holland, 1893	X		X	X	
E. permixtum permixtum (Butler, 1873)	X		X	X	
E. eberti hamus Berger, 1940	X	X		X	
E. campaspe campaspe (Felder & Felder, 1867)	X		X	X	
E. ueleana Hecq, 1982	X		X	X	
E. eberti eberti Aurivillius, 1898			X		

<i>E. uniformis</i> Berger, 1981	X		X	X	
<i>E. adonina spectacularis</i> Hecq, 1997	X		X		
<i>E. sarita sarita</i> (Sharpe, 1891)	X				
<i>E. intermedia</i> Rebel, 1914	X				
<i>E. viridicaerulea inanoides</i> Holland, 1920	X	X		X	
<i>E. cottoni</i> Sharpe, 1907	X		X		
<i>E. ravola</i> (Hewitson, 1866)	X		X		
<i>E. preussi preussi</i> Staudinger, 1891	X	X	X	X	X
<i>E. vicina vicina</i> Hecq, 1984	X	X	X		
<i>E. procera</i> Hecq, 1984	X	X		X	
<i>E. subprocera</i> Hecq, 1984	X	X			
<i>E. albofasciata</i> Berger, 1981	X	X	X	X	
<i>E. disjuncta disjuncta</i> Hecq, 1984	X	X		X	
<i>E. fascinata</i> Hecq, 1984	X		X		
<i>E. subferruginea</i> Guillaumin, 1976	X				
<i>E. fulvofasciata</i> Hecq, 1984	X		X		
<i>E. eleus eleus</i> (Drury, 1782)	X			X	
<i>E. simplex</i> Hecq, 1972	X			X	
<i>E. hybrida</i> Hecq, 1978	X	X	X	X	
<i>E. alacris</i> Hecq, 1978	X			X	
<i>E. rattrayi rattrayi</i> Sharpe, 1904	X	X			
<i>E. ruspina</i> (Hewitson, 1865)	X	X	X		X
<i>E. edwardsii langoueensis</i> Oremans, 2010	X		X		
<i>E. harpalyce spatiosa</i> (Mabille, 1876)	X	X	X		
<i>E. losinga losinga</i> (Hewitson, 1864)	X	X			
<b>Genus Euriphene Boisduval, 1847</b>					
<i>E. doriclea infusca</i> Capronnier, 1889	X	X	X	X	X
<i>E. melanops</i> (Aurivillius, 1897)	X			X	
<i>E. goniogramma</i> (Karsch, 1894)	X	X		X	
<i>E. canarensis</i> (Ward, 1871)	X				
<i>E. luteostriata</i> (Bethune-Baker, 1908)	X			X	
<i>E. butleri remota</i> Hecq, 1994	X			X	
<i>E. butleri kivuensis</i> Jackson, 1957	X	X			
<i>E. ituriensis</i> (Jackson & Howarth, 1957)				X	X
<i>E. nigropunctata</i> Aurivillius, 1901	X			X	
<i>E. subririlis</i> Holland, 1920	X				
<i>E. losinga</i> Wardi, 1874	X				
<i>E. ribensis</i> (Ward, 1871)	X			X	
<i>E. adumbrata</i> (Joicey & Talbot, 1928)	X			X	
<i>E. atossa australis</i> d'Abrera, 1980	X	X	X		
<i>E. gambiae gabonica</i> Bernardi, 1966	X	X	X		
<i>E. amaranta</i> (Karsch, 1894)	X	X	X	X	
<i>E. mawamba</i> Bethune-Baker, 1908)	X			X	
<i>E. alberici</i> (Dufrane, 1945)	X				
<i>E. conjungens chalybeata</i> (Talbot, 1937)	X			X	
<i>E. obsoleta integribasis</i> Hulstaert, 1924	X			X	
<i>E. amicia excelsior</i> (Rebel, 1911)	X			X	
<i>E. tadema nogropunctata</i> (Aurivillius, 1901)	X			X	
<i>E. saphirina saphirina</i> (Karsch, 1894)	X	X		X	X

E. intermixta (Aurivillius, 1904)	X			X	
E. incerta kivu Hecq, 2002	X			X	
<b>Genus Bebearis Hemming, 1960</b>					
B. languida (Schultze, 1920)	X	X	X	X	X
B. carshema (Hewitson, 1871)	X		X		
B. absolon absolon (Fabricius, 1793)	X	X	X	X	X
B. abesa pandera Hecq, 1988	X	X	X		
B. micans (Aurivillius, 1899)			X		
B. zonara (Butler, 1871)	X	X	X		
B. mandinga beni Hecq, 1990	X		X	X	
B. oxione squalida (Talbot, 1928)	X				X
B. partita (Aurivillius, 1895)	X	X	X		
B. comus retracta Hecq, 1989	X				
B. ikelemba kamituga Berger, 1981	X				
B. improvisa Hecq, 2000	X				
B. barce maculata (Aurivillius, 1912)	X	X	X		
B. staudingeri staudingeri (Aurivillius, 1893)	X		X	X	
B. plistonax (Hewitson, 1874)	X			X	X
B. cocalia katera (van Someren, 1939). B. cocalia continalis Hecq, 1988	X		X	X	
B. guineensis (Felder & Felder, 1867)			X		
B. sophus aruunda (Overlaet, 1955)	X	X	X	X	X
B. cottoni (Bethune-Baker)	X	X	X	X	
B. fulgurata (Aurivillius, 1904)	X	X	X	X	X
B. dowsetti Hecq, 1990				X	
B. brunhilda iturina (Karsch, 1894)	X	X	X		
B. laetitioides (Joicey & Talbot, 1921)	X	X	X		
B. congolensis (Capronnier, 1889)	X			X	
B. cocalioides Hecq, 1990			X		
B. hargreavesi d'Abrera, 1980	X			X	
B. severini (Aurivillius, 1897)	X		X		
B. phranza moreelsi d'Abrera, 1980	X		X	X	
B. leetitia vesta Hecq, 1989	X		X	X	
B. aurora aurora (Aurivillius, 1896)	X	X	X	X	
B. flaminia flaminia (Staudinger, 1891)	X		X		
B. ducarme Hecq, 1987	X		X	X	
B. maximiana (Staudinger, 1891)	X	X		X	
B. defluera Hecq, 1998	X				
B. phantasia concolor Hecq, 1988	X			X	
B. nivaria tenuimacula Berger, 1981	X		X		
B. makala makala (Bethune-Baker, 1908)	X	X	X		
B. chloeropsis (Bethune-Baker, 1908)	X	X	X	X	
B. eliensis unita (Capronnier, 1889)	X		X		
B. braytoni (Sharpe, 1907)	X			X	
B. leptotypa (Bethune-Baker, 1908)	X			X	
B. picturata Hecq, 1989			X		

<b>Genus Euptera Staudinger, 1891</b>					
E. elabontas elabontas (Hewitson, 1871)	X	X	X	X	
E. neptunus Joicey & Talbot, 1924	X		X	X	
E. semirufa Joicey & Talbot, 1921	X		X	X	
E. chothyma Libert, 2017	X		X	X	
E. hirundo Staudinger, 1891	X	X		X	
E. amieti Collins & Libert, 1998	X			X	
E. schultzei Libert & Chovet, 1998	X				
E. mirifica Carpenter & Jackson, 1950	X		X		
E. miranda Libert, 2014	X			X	
E. fallax Libert, 2014				X	
E. grepi grepi Libert, 2014	X			X	
E. freyja ornata Libert, 1998	X				
E. crowleyi centralis Libert, 1995	X		X	X	
E. falsathyma Schultze, 1916	X		X		
E. choveti Amiet & Collins, 1998	X		X		
E. ginettae Libert, 2005	X				
E. liberti Collins, 1987	X				
E. ducarmeii Collins, 1998	X	X		X	
E. pluto pluto (Ward, 1873)	X	X	X	X	
E. debruyni (Hecq, 1990)	X			X	
E. ituriensis Libert, 1998	X		X	X	
<b>Genus Pseudathyma Staudinger, 1891</b>					
P. plutonica plutonica Butler, 1902	X	X		X	
P. neptidina Karsch, 1894	X	X	X	X	
P. jacksoni kivuensis Libert, 2002	X			X	
P. michelae Libert, 2002	X			X	
P. cyrili Chovet, 2002	X		X	X	
P. masikini Libert, 2019	X			X	
P. deslogei Libert, 2019	X			X	
P. callimoides Libert, 2019	X		X	X	
<b>Genus Hamanumida Hübner, 1819</b>					
H. daedalus (Fabricius, 1775)	X	X			
<b>Tribe Pseudacraeini Dhungel &amp; Wahlberg, 2018</b>					
<b>Genus Pseudacraea Westwood, 1850</b>	X	X	X	X	
P. eurytus eurytus (Linnaeus, 1758)	X	X	X	X	
P. dolomena congoensis Jackson, 1951	X		X	X	X
P. rubrobasalis Aurivillius, 1903	X		X	X	
P. kuenowii kuenowii Dewitz, 1879	X		X	X	
P. clarkii Butler & Rothschild, 1892	X		X	X	
P. acholica mayenceae Hecq, 1987				X	X
P. boisduvalii boisduvalii (Doubleday, 1845)	X	X	X	X	
P. lucretia protracta (Butler, 1875)	X	X	X	X	X
P. deludens ducarmeii Hecq, 1990					X
P. deludens rwandaensis Hecq, 1991				X	
P. semire (Cramer, 1779)	X			X	
P. warburgi Aurivillius, 1892	X		X		

P. ruhama Hewitson, 1873	X	X	X	X	
P. fulvaria Butler, 1876	X	X		X	
<b>Tribe incertae sedis</b>					
<b>Genus Kumothales Overlaet, 1940</b>					
K. inexpectata Overlaet, 1940				X	
<b>Totals for the subfamily Limenitidinae</b>	<b>227</b>	<b>99</b>	<b>123</b>	<b>157</b>	<b>43</b>

<b>FAMILY PIERIDAE Swainson, 1820</b>					
<b>Subfamily Pseudopontiinae Reuter, 1896</b>					
<b>Genus Pseudopontia Plötz, 1870</b>					
P. mabira Mitter & Collins, 2011	X	X			
<b>Totals for the subfamily Pseudopontiinae</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Subfamily Coliadinae Swainson, 1821</b>					
<b>Genus Eurema Hübner, 1819</b>					
E. hecabe solifera (Butler, 1875)	X	X	X	X	X
E. floricola nivea Berger, 1981	X	X	X		
E. senegalensis (Boisduval, 1836)	X	X	X	X	X
E. desjardinsi regularis (Butler, 1876)	X	X		X	X
E. mandarinula (Holland, 1892)		X		X	X
E. brigitta brigitta (Stoll, 1790)	X	X		X	X
E. hapale (Mabille, 1882)	X	X	X	X	X
<b>Genus Catopsilla Hübner, 1819</b>					
C. florella (Fabricius, 1775)	X	X		X	X
<b>Genus Colias Fabricius, 1807</b>					
C. electo pseudohecate Berger, 1940					
<b>Totals for the subfamily Coliadinae</b>	<b>7</b>	<b>8</b>	<b>4</b>	<b>8</b>	<b>8</b>
<b>Subfamily Pierinae Swainson, 1820</b>					
<b>Tribe Leptosiaini Braby, 2014</b>					
<b>Genus Leptosia Hübner, 1818</b>					
L. marginea (Mabille, 1890)	X	X		X	
L. hybrida somereni Bernardi, 1959	X		X		X
L. wigginsi wigginsi (Dixey, 1915)	X	X			X
L. nupta pseudonuptilla Bernardi, 1959	X	X		X	X
L. alcesta inalcesta Bernardi, 1959	X	X			
<b>Tribe Nepheroniini Braby, 2014</b>					
<b>Genus Nepheronia Butler, 1870</b>					
N. pharis pharis (Boisduval, 1836)	X		X		
N. thalassina verulanus (Ward, 1871)	X			X	X
N. argia argia (Fabricius, 1775)	X	X	X	X	X
N. buquetii buquetii (Boisduval, 1836)		X			
<b>Tribe Teracolini Reuter, 1896</b>					
<b>Genus Colotis Hübner, 1819</b>					
C. euipe euipe (Linnaeus, 1758)	X	X		X	
C. aurigenus (Butler, 1883)		X			
C. vesta princeps Talbot, 1939		X			
C. protomeia (Klug, 1829)		X			
C. ione (Godart, 1819)		X			
C. hetaera ankolensis Stoneham, 1940		X		X	
C. elgonensis basilewskyi Berger, 1956		X		X	X

C. danae pseudacasta Butler, 1876		X			
C. evarne (Klug, 1829)		X			
C. antevippe zera (Lucas, 1852)		X		X	
C. evagore antigone (Boisduval, 1836)		X		X	
<b>Genus Eronia Hübner, 1823</b>					
E. cleodora Hübner, 1823		X		X	
<b>Genus Pinacopteryx Wallengren, 1857</b>					
P. eriphia vittei Berger, 1940				X	
<b>Genus Afrodryas Stoneham, 1957</b>					
A. leda (Boisduval, 1847)		X		X	
<b>Tribe Pierini Swainson, 1820</b>					
<b>Subtribe Appiadina Kuzsenov, 1921</b>					
<b>Genus Appias Hübner, 1819</b>					
A. perlucens (Butler, 1898)	X		X	X	
A. sabina sabina (Felder & Felder, 1865)	X	X	X	X	X
A. phaola intermerdia Dufrane, 1848	X		X	X	
A. epaphia epaphia (Cramer, 1779)	X	X	X	X	X
A. sylvia zairiensis Berger, 1981	X			X	
<b>Subtribe Pierina Swainson, 1820</b>					
<b>Genus Pontia Fabricius, 1807</b>					
P. helice johnstonii (Crowley, 1887)		X		X	X
<b>Subtribe Aporiina Chapman, 1895</b>					
<b>Genus Belenois Hübner, 1819</b>					
B. creona severina (Stoll, 1781)	X	X		X	X
B. aurata (Fabricius, 1793)	X	X		X	X
B. gidica gidica (Godart, 1819)	X	X			
B. raffrayi extendens (Joicey & Talbot, 1927)		X		X	X
B. zochalia agrippinides (Holland, 1896)	X	X		X	X
B. crawshayi Butler, 1894	X	X			X
B. victoria schoutedeni Berger, 1953				X	
B. victoria hecqui Berger, 1953					X
B. subeida subeida (Felder & Felder, 1865)	X	X		X	X
B. calypso marlieri Berger, 1981	X		X	X	
B. thysa meldolae Butler, 1872	X	X		X	X
B. theora laeta (Weymer, 1903)	X	X	X	X	
B. theuszi (Dewitz, 1889)	X	X	X	X	
B. solilucis loveni (Aurivillius, 1921)	X	X		X	X
B. rubrosignata rubrosignata (Weymer, 1901)	X		X		
B. sudanensis katalensis Berger, 1981	X	X			
<b>Genus Dixeia Talbot, 1932</b>					
D. dixeyi (Neave, 1904)	X	X		X	
D. pigea (Boisduval, 1836)	X	X		X	
D. orbona vidua (Butler, 1900)				X	

<b>Genus Mylothris Hübner, 1819</b>					
<i>M. ducarme</i> Hecq, 2001.				X	
<i>M. jacksoni jacksoni</i> Sharpe, 1891		X		X	X
<i>M. elodina nina</i> Warren-Gash, 2020.	X			X	
<i>M. interposita celisi</i> Berger, 1981.				X	
<i>M. interposita mafuga</i> Berger, 1981	X				
<i>M. marginea</i> Joicey & Talbot, 1920				X	
<i>M. sulfurea basalis</i> Aurivillius, 1907	X			X	
<i>M. aurantiaca aurantiaca</i> Rebel, 1914	X				
<i>M. aurantiaca bugishu</i> Talbot, 1944				X	
<i>M. asphodelus</i> Butler, 1888	X			X	
<i>M. canescens</i> Joicey & Talbot, 1922.	X				
<i>M. bernice woodhalli</i> Warren-Gash, 2020				X	
<i>M. bernice rubricosta</i> Mabille, 1890					X
<i>M. chloris clarissa</i> Butler, 1888	X				X
<i>M. agathina agathina</i> Cramer, 1779	X	X		X	
<i>M. sjöstedti</i> Aurivillius, 1895				X	
<i>M. dollmani noel</i> Talbot, 1944		X			
<i>M. dubia flavisparsa</i> Warren-Gash, 2020.	X			X	
<i>M. carolinae</i> Warren-Gash, 2020	X	X		X	
<i>M. continua continua</i> Talbot, 1944	X	X		X	X
<i>M. maxima kivu</i> Warren-Gash, 2020.	X			X	X
<i>M. croceus croceus</i> Butler, 1895		X		X	X
<i>M. citius</i> Oremans, 2019.	X			X	
<i>M. kiwuensis kiwuensis</i> Grunberg, 1910				X	
<i>M. kiwuensis marielouisae</i> Berger, 1978		X			
<i>M. uniformis</i> Talbot, 1944				X	
<i>M. hecqui</i> Berger, 1952	X	X		X	X
<i>M. zairiensis vanessae</i> Warren-Gash, 2020.	X	X		X	
<i>M. rhodope</i> Fabricius, 1775	X	X		X	X
<i>M. wahlbergi</i> Warren-Gash, 2020				X	

<b>FAMILY RIODINIDAE Grote, 1895</b>					
<b>Subfamily Nemeobiinae Bates, 1868</b>					
<b>Tribe Abisarini Stichel, 1928</b>					
<b>Subtribe Abisarina Stichel, 1928</b>					
<b>Genus Afriodinia d’Abrera, 2009</b>					
A. tantalus cyanis (Callaghan, 2003)	X	X	X	X	
A. rutherfordii cyclops (Riley, 1932)	X		X	X	
A. caeca caeca (Rebel, 1914)	X			X	
A. neavei kivuensis (Riley, 1932)	X	X		X	X
A. rogersi simulacris (Riley, 1932)				<u>X</u>	<u>X</u>
<b>Totals for the family Riodinidae</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>2</b>

<b>FAMILY LYCAENIDAE Leach, 1815</b>					
<b>Subfamily Poritiinae Doberty, 1886</b>					
<b>Tribe Pertilini Aurivillius, 1914</b>					
<b>Genus Ptelina Clench, 1965</b>					
P. carnuta kamitugensis Dufrane, 1946	X	X		X	
P. subhyalina (Joicey & Talbot, 1921)	X				
<b>Genus Pentila Westwood, 1851</b>					
P. pauli multiplagata Bethune-Baker, 1908	X	X	X	X	
P. umangiana umangiana Aurivillius, 1898	X	X	X		
P. inconspicua Druce, 1910	X	X		X	X
P. tachyroides isiro Berger, 1981	X	X	X	X	
P. cloetensi catauga Rebel, 1914	X	X	X	X	
P. abraxes subochracea Hawker-Smith, 1933	X		X	X	
P. christina Suffert, 1904	X				
P. alba Dewitz, 1887	X	X		X	
P. glagoessa (Holland, 1893)	X				
P. hewitsoni limbata (Holland, 1893)	X				
P. hybrid Libert, 2019	X			X	
P. ventralis Libert, 2019				X	
P. raffertyi Collins & Libert, 2019				X	
P. ducarme Libert, 2019	X				
P. hiendlmayri (Dewitz, 1887)	X			X	
<b>Genus Telipna Aurivillius, 1895</b>					
T. acraea nigrita Jackson, 1969			X		
T. aurivillii aurivillii Rebel, 1914	X	X	X	X	
T. medjensis Holland, 1920	X	X		X	
T. kaputui Libert, 2005				X	
T. hollandi hollandi Joicey & Talbot, 1921	X				
T. ducarme Libert, 2005			X		
T. citrimaculata neavei Bethune-Baker, 1926	X			X	
T. sanguinea sanguinea (Plötz, 1880)	X		X	X	
T. consanguinea consanguinea Rebel, 1914	X	X		X	
T. nyanza katangae Stempffer, 1961	X	X	X	X	
<b>Genus Ornipholidotos Bethune-Baker, 1914</b>					
O. ugandae ugandae Stempffer, 1947	X				
O. ginettae Libert, 2005	X				
O. kivu Collins & Larsen, 2000	X				
O. katangae reducta Libert, 2005	X		X	X	
O. amieti angulata Libert, 2005	X	X		X	
O. overlaeti fontanei Libert, 2005	X				
O. gemina fournierae Libert, 2005	X		X	X	
O. congoensis Stempffer, 1964	X			X	
O. jacksoni jacksoni Stempffer, 1961	X				
O. nbeti Libert, 2006	X			X	
O. ducarme Libert, 2005	X	X		X	

O. latimargo (Hawker-Smith, 1933)	X				
O. emarginata emarginata (Hawker-Smith, 1933)	X				
O. aureliae Libert, 2005				X	
O. paradoxa orientis Libert, 2005	X	X		X	
O. nancy Collins & Larsen, 2000	X				
<b>Genus Cooksonia Druce, 1905</b>					
C. ginettae Collins & Larsen, 2008		X		X	
<b>Tribe Liptenini Röber, 1892</b>					
<b>Genus Liptena Westwood, 1851</b>					
L. fatima Libert, 2022	X				
L. introspectionem Szabolcs Safian, 2021	X			X	
L. nigromarginata Stempffer, 1961	X				
L. subsuffusa Hawker-Smith, 1933				X	
L. ducarme Schroeder, 2012				X	
L. ugandana Stempffer & May, 1974	X	X		X	
L. immaculata orientis Libert, 2021	X			X	
L. perobscura Druce, 1910	X				
L. restricta Libert, 2021	X				
L. hapale Talbot, 1935	X			X	
L. stebema Lamas, 2007	X			X	
L. xanthostola xantha Grose-Smith, 1901	X	X		X	
L. flavicans praeusta Schultze, 1917	X		X	X	
L. demerodei Libert, 2018.	X				
L. minziro Collins-Larsen, 2008				X	
L. undina Grose-Smith & Kirby, 1894	X				X
L. durbania eukrinoidea Talbot, 1937	X			X	
L. congoana Hawker-Smith, 1933	X			X	
L. difficilis Libert, 2023	X			X	
L. xanthale Libert, 2022.	X				
L. peculiaris Libert, 2022.				X	
L. lualaba diminuta Libert, 2018.	X			X	
L. kiellandi Congdon & Collins, 1998				X	
L. fallax Libert, 2018	X				
L. rubromacula rubromacula Hawker-Smith, 1933	X			X	
L. kamitugensis Dufrane, 1945.	X			X	
<b>Genus Helna Libert, 2021</b>					
H. anamesa Libert, 2021	X				
H. erycinoides mitubensis Libert, 2021				X	
H. minimaculata Libert, 2021	X				
H. despecta Holland, 1890	X		X	X	X
<b>Genus Obania Collins &amp; Larsens, 1998</b>					
O. tulliana (Grose-Smith, 1901)	X			X	
O. tripunctata teroana Talbot, 1935	X		X	X	
O. alticola Libert, 2023	X				

<b>Genus Kakumia Collins &amp; Larsen, 1998</b>					
K. ferruginea (Schultze, 1923)	X				
K. otlauga (Grose-Smith & Kirby, 1890)	X				
K. ideoides (Dewitz, 1887)	X		X	X	
<b>Genus Tetrarharanis Karsch, 1893</b>					
T. ilma ilma (Hewitson, 1873)	X	X	X	X	
T. ilma daltoni Poulton, 1929				X	
T. stempfferi stempfferi (Berger, 1954)	X		X	X	
<b>Genus Falcuna Stempffer &amp; Bennett, 1963</b>					
F. iturina Stempffer & Bennett, 1963	X	X	X	X	
F. kasai Stempffer & Bennett, 1963	X		X		
F. margarita (Suffert, 1904)			X		
F. orientalis bwamba Stempffer & Bennett, 1963	X			X	
F. semliki Stempffer & Bennett, 1963		X			
<b>Genus Larinopoda Butler, 1871</b>					
L. tera (Hewitson, 1873)	X	X	X	X	X
L. lagyra lagyra (Hewitson, 1866)	X	X			X
L. lircaea (Hewitson, 1866)	X		X		
<b>Genus Micropentila Aurivillius, 1895</b>					
M. fontainei Stempffer & Bennett, 1965	X			X	
M. mpigi Stempffer & Bennett, 1965	X			X	
M. jacksoni Talbot, 1937				X	
M. adelgitha (Hewitson, 1874)	X	X		X	
M. mukanirwai Schröder, 2012	X			X	
M. cingulum Druce, 1910	X				
M. dorothea Bethune-Kaker, 1903				X	
M. sankuru Stempffer & Bennett, 1965	X	X		X	
M. cherereti Stempffer & Bennett, 1965				X	
M. ugandae Hawker-Smith, 1933	X			X	
M. kateriae Stempffer & Bennett, 1965	X			X	
M. victoriae Stempffer & Bennett, 1965	X			X	
M. subplagata Bethune-Baker, 1915	X				
M. bunyoro Stempffer & Bennett, 1965	X			X	
M. brunnea centralis Bennett, 1966	X			X	
<b>Genus Pseuderesia Butler, 1874</b>					
P. vidua Talbot, 1937	X			X	
P. eleaza katera Stempffer, 1961	X			X	
<b>Genus Eresina Aurivillius, 1899</b>					
E. toroensis Joicey & Talbot, 1921	X			X	
E. bergeri Stempffer, 1956	X			X	
E. bilinea Talbot, 1935	X			X	X
E. rougeoti Stempffer, 1956	X	X		X	
E. jacksoni Stempffer, 1961	X			X	

<b>Genus Eresiomera Clench, 1965</b>					
E. rutilo (Druce, 1910)	X			X	
E. magnimacula (Rebel, 1914)	X			X	X
E. beni Stempffer, 1961	X	X			
<b>Genus Parasiomera Safian &amp; Collins, 2015</b>					
P. kuvuensis Safian & Collins, 2015				X	
<b>Genus citrinophila Kirby, 1887</b>					
C. erastus pallida Hawker-Smith, 1933	X	X	X	X	
C. terias Joicey & Talbot, 1921	X			X	
C. unipunctata Bethune-Baker, 1908	X	X	X	X	
C. tenera (Kirby, 1887)	X				
<b>Genus Argyrochella Staudinger, 1892</b>					
A. undifera ugandae Hawker-Smith, 1933	X				
A. inundifera Hawker-Smith, 1933	X				
<b>Genus Toxochitona Stempffer, 1956</b>					
T. sankuru Stempffer, 1961	X			X	
T. gerda (Kirby, 1890)	X	X		X	
<b>Genus Mimaeraea Butler, 1782</b>					
M. landbecki Druce, 1910	X			X	
M. telloides Schutze, 1923	X			X	
M. abriana Libert & Collins, 2000	X				
M. fulvaria fulvaria Aurivillius, 1895	X		X	X	
M. paragora paragora Rebel, 1911	X			X	
M. krausei krausei Dewitz, 1889	X			X	
<b>Genus Mimeresia Stempffer, 1961</b>					
M. debora barnsi (Hawker-Smith, 1933)	X			X	
M. neavei (Joicey & Talbot, 1921)	X	X		X	
M. dinora discrubra (Talbot, 1937)	X	X		X	
M. drucei ugandae (Stempffer, 1954)	X	X		X	
M. moreelsi purpurea (Hawker-Smith, 1933)	X	X		X	X
M. russulus russulus (Druce, 1910)	X			X	
M. favillacea griseata (Talbot, 1937)	X				
<b>Tribe Epitolini Jackson, 1962</b>					
<b>Genus Iridana Aurivillius, 1920</b>					
I. perdita marina Talbot, 1935				X	
I. katera Stempffer, 1964	X				
I. incredibilis (Staudinger, 1891)	X				
I. hypocola Eltringham, 1929	X	X		X	
I. unyoro Stempffer, 1964	X			X	
I. magnifica Hawker-Smith, 1933				X	
I. ducarme Bouyer, 2013				X	
I. noellae Bouyer, 2014				X	

<b>Genus Teratoneura Dudgeon, 1909</b>					
T. isabellae congoensis Stempffer, 1954	X			X	
<b>Genus Epitola Westwood, 1851</b>					
E. uranoides uranoides Libert, 1999	X				
E. urania Kirby, 1887	X			X	
<b>Genus Cerautola Libert, 1999</b>					
C. ceraunia (Hewitson, 1873)	X			X	
C. semibrunea ammon Joicey & Talbot, 1921	X			X	
C. adolphifriderici (Schultze, 1911)	X				
C. crowleyi holochroma (Berger, 1981)	X			X	
C. miranda vidua (Talbot, 1935)	X	X		X	
C. mittoni (Jackson, 1964)		X		X	
C. subargentea subargentea (Jackson, 1965)	X			X	
<b>Genus Hewitola Libert, 1999</b>					
H. decellei (Stempffer, 1956)	X		X		
<b>Genus Geritola Libert, 1999</b>					
G. gerina (Hewitson, 1878)	X			X	
G. dubia (Jackson, 1964)	X			X	
G. liana (Roche, 1954)	X		X	X	
G. cynaea (Jackson, 1964)	X				
G. zelica viridis Libert, 2020	X			X	
G. kivuana Libert, 2020	X			X	
G. mirabilis Libert, 2020				X	
G. nitide Druce, 1910				X	
<b>Genus Stempfferia Jackson, 1962</b>					
S. cercene (Hewitson, 1873)	X	X			
S. insulana (Aurivillius, 1923)	X		X	X	
S. cercenoides (Holland, 1890)	X			X	
S. sylviae Libert, 1999	X				
S. marginata (Kirby, 1887)	X			X	
S. gordonii (Druce, 1903)	X				
S. annae Libert, 1999	X	X		X	
S. ciconia mongiro (Jackson, 1968)	X				
S. cinerea (Berger, 1981)	X	X		X	X
S. badura contrasta Libert, 1999	X			X	
S. iturina (Joicey & Talbot, 1921)	X			X	
S. ginettae ginettae Libert, 1999	X	X	X	X	
S. flavoantennata (Roche, 1954)	X				
S. tumentia (Druce, 1910)	X		X		
S. versicolor maculata Libert, 2020	X			X	
S. inexpectata Libert, 2020				X	
S. congoana orientalis Libert, 2020	X				

<b>Genus Cephetoia Libert, 1999</b>					
C. viridana (Joicey & Talbot, 1921)	X	X		X	
C. maculata (Hawker-Smith, 1926)	X			X	
C. eliasis angustata Libert & Collins, 1999)	X			X	
C. orientalis (Roche, 1954)	X			X	
C. barnsi Libert, 1999	X			X	
C. catuna catuna (Kirby, 1890)	X	X	X	X	
C. nigra (Bethune-Baker, 1903)	X				
C. ghesquierei (Roche, 1954)	X			X	
C. kiellandi (Libert & Congdon, 1998)	X			X	
C. kerae (Jackson, 1962)	X	X		X	
C. aureliae Libert, 1999		X		X	
C. pinodes budduana (Talbot, 1937)	X			X	
C. epitolina Libert & Collins, 1999	X				
C. tanzaniensis parva Libert, 1999	X				
C. sublustris (Bethune-Baker, 1904)	X				
C. vinalli (Talbot, 1935)	X				
C. kakamegae Libert & Collins, 1999	X			X	
C. ducarme Libert, 1999	X			X	
C. mpangensis (Jackson, 1962)	X	X		X	
C. cephenoides Libert, 2020	X			X	
C. mariae Libert, 1999	X			X	
C. obscuralis obscuralis Libert, 2020				X	
C. mercedes mercedes Suffert, 1904	X				
C. kamengensis subgriseata Jackson, 1964	X			X	
C. mitumbensis Libert, 2020				X	
C. marginalis marginalis Libert, 2020				X	
C. kiskusui Libert, 2020				X	
C. bwamba Jackson, 1964				X	X
C. hartorum Libert, 2020		X		X	
C. izidori kielland & Congdon, 1998	X			X	
C. peteri uniformis Libert, 2020				X	
C. frater Libert, 2020	X			X	
C. formosa Collins & Libert, 2020				X	
C. dolorosa Roche, 1954	X				
<b>Genus Batelusia Druce, 1910</b>					
B. zebra Druce, 1910	X			X	
<b>Genus Pseudoneaveia Stempffer, 1964</b>					
P. jacksoni Stempffer, 1964	X				
<b>Genus Neaveia Druce, 1910</b>					
N. lamborni orientalis Jackson, 1962	X			X	
<b>Genus Epitolina Aurivillius, 1895</b>					
E. dispar (Kirby, 1887)	X		X	X	
E. melissa (Druce, 1888)	X	X	X	X	
E. catori ugandae Jackson, 1962	X		X		

<b>Genus Hypophytala Clench, 1965</b>					
H. minziro minziro Libert & Collins, 1999	X			X	
H. vansomereni (Jackson, 1964)	X		X	X	
H. henleyi (Kirby, 1890)	X				
H. reducta (Aurivillius, 1923)	X				
H. kivuetta Libert, 2020	X			X	
<b>Genus Phytala Westwood, 1851</b>					
P. elais ugandae Jackson, 1964	X			X	
P. elais elais Westwood, 1851			X		
<b>Genus Neoepitola Jackson, 1964</b>					
N. barombiensis (Kirby, 1890)	X	X		X	
<b>Genus Aethiopana Bethune-Baker, 1915</b>					
A. honorius honorius (Fabricius, 1793)	X	X		X	
<b>Genus Hewitsonia Kirby, 1871</b>					
H. congoensis Joicey & Talbot, 1921	X			X	
H. ugandae ugandae Jackson, 1962	X		X	X	
H. magdalenae Stempffer, 1951	X	X		X	
H. inexpectata Bouyer, 1997	X		X		
H. intermedia Jackson, 1962	X	X		X	
<b>Genus Powellana Bethune-Baker, 1908</b>					
P. cottoni Bethune-Baker, 1908	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	
<b>Totals for the subfamily Poritiinae</b>	<b>199</b>	<b>51</b>	<b>39</b>	<b>167</b>	<b>8</b>
<b>Subfamily Miletinae Reuter, 1896</b>					
<b>Tribe Liphyrini Doherty, 1889</b>					
<b>Genus Euliphyra Holland, 1890</b>					
E. leucyana sjostedti Aurivillius, 1895	X				
<b>Genus Aslauga Kirby, 1890</b>					
A. perspicua Libert, 2016	X			X	
A. ducarmeii Libert, 2016				X	
A. abri kivuana Libert, 2016	X			X	
A. bouyeri bouyeri Libert, 1904	X				
A. reducta angulosa Libert, 2016	X	X		X	
A. michelae Libert, 2016	X	X			
A. pandora Druce, 1913	X				
A. purpurascens levantis Libert, 2016	X	X		X	
A. bitjensis ginettae Libert, 2016				X	
A. kallimoides Schultze, 1912	X				
<b>Tribe Lachnocnemini Clench, 1955</b>					
<b>Genus Lachnocnema Trimen, 1887</b>					
L. bibulus (Fabricius, 1793)	X	X			
L. brunea Libert, 1996	X			X	
L. divergens Gaede, 1915	X	X		X	X

L. obscura Libert, 1996	X				
L. albimaculata Libert, 1996	X	X			
L. jolyana Libert, 1996	X				
L. ducarmeii Libert, 1996	X	X		X	
L. exiguus Holland, 1890	X	X	X	X	
L. jacksoni Stempffer, 1967	X				
L. luna Druce, 1910	X		X		
L. magna niveus Aurivillius, 1895	X	X	X	X	
L. reulingeri perspicua Libert, 1996	X	X	X	X	X
<b>Tribe Spalagini Toxopeus, 1929</b>					
<b>Genus Spalgis Moore, 1879</b>					
S. lemolea lemolea Druce, 1890	X	X		X	X
S. jacksoni stempfferi Kielland, 1985	X	X			
<b>Tribe Miletini Reuter, 1896</b>					
<b>Genus Megolopalpus Rober, 1886</b>					
M. simplex Röber, 1886	X	X	X	X	
M. metaleucus Karsch, 1893	X		X		
M. zymna (Westwood, 1851)	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>
<b>Totals for the subfamily Miletinae</b>	<b>26</b>	<b>14</b>	<b>7</b>	<b>15</b>	<b>4</b>
<b>Subfamily Aphnaeinae Distant, 1884</b>					
<b>Genus Aphnaeus Hübner, 1819</b>					
A. orcas (Drucy, 1782)	X	X	X	X	
A. argyrocyclus Holland, 1890	X		X	X	
A. asterius argenteola Holland, 1890	X				
A. chapini ugandae Stempffer, 1961	X				
A. herbuloti Stempffer, 1972			X		
A. jefferyi Hawker-Smith, 1928	X				
A. ducarmeii Bouyer, 2021	X				
A. charbonelli Bouyer & Libert, 1996	X				
A. adamsi Stempffer, 1954			X		
A. mirabilis Safian & Collins, 2013			X		
<b>Genus Axiocerses Hübner, 1819</b>					
A. harpax ugandana Clench, 1963	X	X	X	X	X
A. bambana orichalcea Henning & Henning, 1996	X	X	X	X	
<b>Genus Cigaritis Donzel, 1848</b>					
C. crustaria (Holland, 1890)	X	X	X	X	
C. dufranei (Bouyer, 1991)	X	X		X	X
C. menelas (Druce, 1907)	X				
C. victoriae (Butler, 1884)				X	
C. ducarmeii (Bouyer, 2008)				X	
C. apuleia (Hulstaert, 1924)	X				
<b>Genus Lipaphnaeus Aurivillius, 1916</b>					
L. aderna pan (Talbot, 1935)	X	X		X	X
L. loxura (Rebel, 1914)	X	X		X	X

L. leonina bitje (Druce, 1910)	X			X	
<b>Genus Pseudaletis Druce, 1888</b>					
P. agrippina agrippina Druce, 1888	X				
P. camarensis Collins & Libert, 2007	X				
P. lusambo Stempffer, 1961	X			X	
P. noellae Bouyer, 2014	X				
P. zebra zebra Holland, 1891	X			X	
P. ducarme Libert, 2007	X	X		X	
P. antimachus (Staudinger, 1887)	X			X	
P. abriana orientalis Bouyer, 2014	X				
P. batesi zairiensis Libert, 2007	X		X		
P. busoga van Someren, 1939				X	
P. ginettae Bouyer, 2014	X			X	
P. lusambo Stempffer, 1961	X	X		X	
<b>Totals for the subfamily Aphnaeinae</b>	<b>26</b>	<b>8</b>	<b>7</b>	<b>19</b>	<b>4</b>
<b>Subfamily Polyommatae Swainson, 1827</b>					
<b>Tribe Lycaenesthinae Toxopeus, 1929</b>					
<b>Genus Anthene Doubleday, 1847</b>					
A. larydas (Cramer, 1780)	X	X	X	X	X
A. crawshayi crawshayi (Butler, 1899)		X			
A. suquala (Pagenstecher, 1902)	X				
A. ligures ligures (Hewitson, 1874)	X	X	X	X	X
A. sylvanus (Drury, 1773)	X		X		
A. ukerewensis ukerewensis Strand, 1909	X	X	X	X	X
A. livida stempfferi Storace, 1954	X	X		X	X
A. definita definita (Butler, 1899)	X	X	X	X	X
A. afra afra (Bethune-Baker, 1910)	X	X		X	X
A. alberta (Bethune-Baker, 1910)	X	X		X	
A. hobleiy kigezi Stempffer, 1961	X	X		X	X
A. rubricinctus rubricinctus (Holland, 1891)	X	X		X	X
A. ituria (Bethune-Baker, 1910)	X	X	X	X	X
A. princeps (Butler, 1876)	X	X	X	X	
A. lunulata grosei (Aurivillius, 1899)	X	X	X		
A. liodes liodes (Hewitson, 1874)	X	X		X	X
A. amarah amarah (Guérin-Meneville, 1847)	X	X			
A. levis (Hewitson, 1878)	X			X	
A. akoae albidior Libert, 2010	X	X	X	X	X
A. irumu (Stempffer, 1948)	X		X		
A. ysobelae cyanea Libert, 2010	X			X	
A. quadricaudata (Bethune-Baker, 1926)	X			X	
<b>Genus Cupidesthes Aurivillius, 1895</b>					
C. robusta Aurivillius, 1895	X				
C. thyris (Kirby, 1978)	X		X	X	
C. gabunica orientalis (Stempffer, 1962)	X	X	X	X	
C. mimetica albertina Libert, 2010	X			X	
C. cuprifascia Joicey & Talbot, 1921	X				

<b>Genus Neurellipes Bethune-Baker, 1910</b>					
N. onias (Hulstaert, 1924)	X		X	X	X
N. sonia Libert, 2010	X	X	X		
N. fulvimacula (Mabille, 1890)	X		X	X	
N. kampala triangularis Libert, 2010	X		X	X	
N. tanzaniensis Libert, 2010	X			X	
N. katera (Talbot, 1937)	X		X		
N. leptines extensa Libert, 2010	X				
N. makala (Bethune-Baker, 1910)	X				
N. rufomarginata (Bethune-Baker, 1910)	X				
N. scintillula scintillula (Holland, 1891)	X	X	X		
N. discimacula (Joicey & Talbot, 1921)	X				
N. ducarme ducarme Libert, 2010	X		X		
N. pyroptera (Aurivillius, 1895)	X				
N. zenkeri zenkeri (Karsch, 1895)	X		X		
N. lachares toroensis (Stempffer, 1947)	X	X	X	X	
N. ramnika (d'Abrera, 1980)	X	X			
N. xanthopoecilus lukokescha (Karsch, 1895)	X	X	X		
N. lycotas (Grose-Smith, 1898)	X			X	
N. lysicles lysicles (Hewitson, 1874)	X		X	X	
N. lyzanius (Hewitson, 1874)	X	X			
N. flavomaculatus bipuncta (Joicey & Talbot, 1921)	X		X		
N. lamprocles reducta Libert, 2010	X		X		
<b>Genus Triclema Karsch, 1893</b>					
T. lucretilis (Hewitson, 1874)	X		X		
T. staudingeri (Grose-Smith & Kirby, 1894)	X		X	X	X
T. obsoleta (Stempffer, 1947)	X	X		X	
T. phoenicis Karsch, 1893	X	X		X	
T. rufoplagata ituriensis Joicey & Talbot, 1921	X				
T. lutzi Holland, 1920	X				
T. coerulea (Aurivillius, 1895)	X				
T. lacides (Hewitson, 1874)	X	X	X		
T. fasciatus subnitens (Bethune-Baker, 1903)	X				
T. josiana Libert, 2010	X	X			
T. inconspicua latefascia Libert, 2010	X	X		X	
T. lamias katera d'Abrera, 1980	X				
T. melambrotus melambrotus (Holland, 1893)	X				
T. melambrotus Kiellandi Libert, 2010				X	
<b>Genus Monile Ungemach, 1932</b>					
M. gemmifera gemmifera (Neave, 1910)		X			
<b>Tribe Polyommata Swainson, 1827</b>					
<b>Subtribe Polymmatina Swainson, 1827</b>					
<b>Genus Chilades Moore, 1881</b>					
F. trochylus (Freyer, 1844)	X	X			

<b>Subtribe incertae sedis</b>					
<b>Genus Cupidopsis Karsch, 1895</b>					
C. jobates jobates (Hopffer, 1855)	X	X			X
C. cissus cissus (Godart, 1824)	X	X		X	X
<b>Genus Pseudonacaduba Stempffer, 1943</b>					
P. aethiops (Mabille, 1877)	X		X	X	
P. sichela sichela Wallengre, 1857	X	X			
<b>Genus Lampides Hübner, 1819</b>					
L. boeticus (Linnaeus, 1767)	X	X		X	X
<b>Genus Uranothauma Butler, 1895</b>					
U. heritsia intermedia (Tite, 1958)	X	X	X	X	
U. lunifer (Rebel, 1914)				X	X
U. nubifer nubifer (Trimen, 1895)		X		X	X
U. delatorum Heron, 1909	X	X		X	X
U. falkensteinii (Dewitz, 1879)	X	X	X	X	X
U. antinorii felthami (Stevenson, 1934)	X	X		X	
U. cyara tenuimarginata (Grünberg, 1908)	X	X	X	X	X
<b>Genus Cacyreus Butler, 1897</b>					
C. lingeus (Stoll, 1782)	X	X		X	
C. audeoudi Stempffer, 1936	X	X	X	X	X
C. fracta fracta (Grünberg, 1911)		X		X	X
<b>Genus Harpendyreus Heron, 1909</b>					
H. marungensis wollastoni (Bethune-Baker, 1926)		X		X	X
H. reginaldi Heron, 1909				X	
H. kisaba (Joicey & Talbot, 1921)				X	
<b>Genus Leptotes Scudder, 1876</b>					
L. pirithous pirithous (Linnaeus, 1767)	X	X		X	X
L. jeanneli (Stempffer, 1935)	X	X		X	X
L. marginalis (Stempffer, 1942)	X	X		X	X
L. babaulti (stempffer, 1935)				X	
<b>Genus Tuxentius Larsen, 1982</b>					
T. margaritaceus (Sharpe, 1892)	X	X		X	X
T. carana carana (Hewitson, 1876)		X		X	
<b>Genus Zizeeria Chapman, 1910</b>					
Z. knysna knysna (Trimen, 1862)	X	X		X	X
<b>Genus Zizina Chapman, 1910</b>					
Z. otis antanossa (Mabille, 1877)	X	X		X	
<b>Genus Actizera Chapman, 1910</b>					
A. lucida (Trimen, 1883)				X	X

<b>Genus Zizula Chapman, 1910</b>					
Z. hylax (Fabricius, 1775)	X	X		X	X
<b>Genus Azanux Moore, 1881</b>					
A. isis Drury, 1773	X	X	X	X	X
A. mirza (Plötz, 1880)	X	X	X	X	X
A. jesous (Guérin-Meneville, 1849)	X	X		X	
A. natalensis (Trimen, 1887)	X	X		X	
<b>Genus Eicochrysops Bethune-Baker, 1924</b>					
E. hippocrates (Fabricius, 1793)	X	X	X	X	X
<b>Genus Euchrysops Butler, 1900</b>					
E. kabrosae kabrosae (Bethune-Baker, 1906)		X			
E. osiris (Hopffer, 1855)	X	X		X	X
E. barkeri (Trimen, 1893)	X	X		X	
E. malthana (Boisduval, 1833)	X	X			X
E. albistriata albistriata Capronnier, 1882	X				
<b>Genus Lepidochrysops Hedicke, 1923</b>					
L. parsimon kivuensis (Joicey & Talbot, 1921)	X	X			
<b>Genus Thermoniphas Karsch, 1895</b>					
T. plurilimbata plurimbata Karsch, 1895	X	X	X		
T. plurilimbata rutshurensis (Joicey & Talbot, 1921)				X	
T. togara togara (Plötz, 1880)	X	X	X		
T. alberici (Drufrane, 1945)	X	X	X	X	
T. caerulea Stempffer, 1956		X		X	
T. kivuensis d'Abrera, 2009				X	
<b>Genus Oborania Karsch, 1893</b>					
O. punctatus (Dewitz, 1879)	X		X		
O. pseudopunctatus (Strand, 1912)	X		X		
O. guessfeldtii (Dewitz, 1879)	X		X	X	
O. albicosta (Gaede, 1916)	X		X		
<b>Totals for the subfamily Polyommatainae</b>	<b>97</b>	<b>66</b>	<b>42</b>	<b>71</b>	<b>35</b>
<b>Subfamily Lycaeninae Leach, 1815</b>					
<b>Tribe Lycaenini Leach, 1815</b>					
<b>Genus Lycaena Fabricius, 1807</b>					
L. phlaeas ethiopica (Poulton, 1922)				X	
<b>Totals for the subfamily Lycaeninae</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>
<b>Subfamily Theclinae Swainson, 1830</b>					
<b>Tribe Amblypodini, 1886</b>					
<b>Genus Myrina Fabricius, 1807</b>					
M. silenus silenus (Fabricius, 1775)	X	X		X	
M. sharpei fontainei Stempffer, 1961	X	X		X	

<b>Tribe Iolaini Riley, 1958</b>					
<b>Genus Iolaus Hübner, 1819</b>					
I. bolissus bolissus Hewitson, 1873	X	X		X	X
I. Sidus Trimen, 1864		X		X	
I. hemicyanus barnsi (Joicey & Talbot, 1921)	X	X		X	
I. mafugae Stempffer & Bennett, 1959				X	
I. neavei neavei (Druce, 1910)	X		X	X	
I. bellina exquisita (Riley, 1928)	X				
I. aurivillii (Röber, 1900)	X				
I. frater frater (Joicey & Talbot, 1921)	X	X		X	X
I. pollux albocaerulea (Riley, 1929)	X	X		X	
I. maesa (Hewitson, 1863)	X			X	
I. creta (Hewitson, 1878)	X				
I. coelestis Bethune-Baker, 1926	X				
I. sibella (Druce, 1910)	X				
I. agnes (Aurivillius, 1898)	X				
I. fontainei (Stempffer, 1956)	X				
I. henryi (Stempffer, 1961)	X	X		X	
I. poecilaon poecilaon (Riley, 1928)	X		X	X	
I. alcibiodes Kirby, 1871	X			X	
I. cottrelli Stempffer & Bennett, 1958	X				
I. iturensis (Joicey & Talbot, 1921)	X			X	
I. menas menas Druce, 1890	X	X		X	
I. menas tatiana (d'Abrera, 1980)	X		X	X	
I. caesareus caesareus (Aurivillius, 1895)	X			X	
I. crawshayi littoralis Stempffer & Bennett, 1958	X				
I. timon congoensis (Joicey & Talbot, 1921)	X		X	X	
I. parasılanus divaricatus (Riley, 1928)	X	X			
<b>Genus Etesiolaus Stempffer &amp; Bennett, 1959</b>					
E. catori cottoni (Bethune-Baker, 1908)	X		X	X	
<b>Tribe Hypolycaenini Swinhoe, 1910</b>					
<b>Genus Hypolycaena Felder, 1862</b>					
H. antifaunus antifaunus (Westwood, 1851)	X	X	X	X	X
H. liara liara Druce, 1890	X	X	X	X	
H. naara Hewitson, 1873		X			
H. kadiskos Druce, 1890	X	X		X	
H. philippus philippus (Fabricius, 1793)	X	X		X	X
H. pachalica Butler, 1888		X			
H. jacksoni Bethune-Baker, 1906		X		X	X
H. nigra Bethune-Baker, 1914	X		X	X	
H. hatita hatita Hewitson, 1865	X	X	X	X	X
H. lebona davenporti Larsen, 1997	X	X	X	X	
<b>Tribe Cheritrini Swinhoe, 1910</b>					
<b>Genus Dapidodigma Karsch, 1895</b>					
D. demeter nuptus Clench, 1961	X		X		

<b>Tribe Oxylidini Eliot, 1973</b>					
<b>Genus Oxylides Hübner, 1819</b>					
O. feminina stempfferi Berger, 1981	X	X	X	X	
O. faunus camerunica Libert, 2004	X	X			
<b>Genus Syrmoptera Karsch, 1895</b>					
S. melanomitra nivea Joicey & Talbot, 1924			X	X	
<b>Tribe Deudorigini Doherty, 1886</b>					
<b>Genus Deudorix Hewitson, 1863</b>					
D. antalus (Hopffer, 1855)	X	X		X	X
D. lorisona lorisona (Hewitson, 1863)	X	X	X	X	X
D. lorisona baronica Ungemach, 1932	X	X		X	
D. edwardsi cyanea Libert, 2004				X	
D. kayonza Stempffer, 1956	X			X	
D. dinomenes dinomenes Jackson, 1966	X	X		X	
D. odana odana Druce, 1887	X	X	X	X	
D. caliginosa Lathy, 1903	X	X			
D. diocles Hewitson, 1869				X	
<b>Genus Hypomyrina Druce, 1891</b>					
H. nomenia (Hewitson, 1874)	X	X	X	X	
H. mimetica Libert, 2004	X		X	X	
H. fournierae Gabriel, 1939		X		X	
<b>Genus Paradeudorix Libert, 2004</b>					
P. ituri ituri (Bethune-Baker, 1908)	X	X	X	X	
P. marginata (Stempffer, 1962)	X		X	X	X
P. canescens (Joicey & Talbot, 1921)	X		X		
P. tenuivittata (Stempffer, 1951)	X			X	
P. elealodes (Bethune-Baker, 1908)	X			X	
P. cobaltina (Stempffer, 1964)	X				
<b>Genus Pilodeudorix Druce, 1891</b>					
P. cameroni cameroni Plötz, 1880	X		X	X	
P. ankoleensis (Stempffer, 1954)	X			X	
P. congoana congoana (Aurivillius, 1923)	X	X	X	X	X
P. kohli (Aurivillius, 1921)	X	X		X	
P. caerulea (Druce, 1890)	X	X		X	X
P. zela (Hewitson, 1869)	X			X	
P. anetia (Hlstaert, 1924)	X			X	
P. jacksoni (Talbot, 1935)	X				
P. zelomina zelomina (Rebel, 1914)				X	
P. mera mera (Hewitson, 1873)	X		X		
P. mera kinumbensis (Dufrane, 1945)	X	X		X	X
P. azurea azurea (Stempffer, 1964)	X	X		X	X
P. angelita angelita (Suffer, 1904)	X		X	X	
P. otraeda genuba (Hewitson, 1875)	X	X	X	X	
P. virgatoides Libert, Collins & Safian, 2015	X			X	
P. ula (Karsch, 1895)	X			X	

P. ula (Karsch, 1895)	X			X	
P. aruna pallidior Libert, 2004	X	X	X	X	
P. mimeta angusta Libert, 2004	X			X	
P. hugoi Libert, 2004	X	X		X	
P. pseudoderitas (Stempffer, 1964)	X		X	X	
P. kiellandi (Congdon & Collins, 1998)	X			X	
P. leonina indentata Libert, 2004	X				

**Table 1 – Number of taxa reorded for each locality in n-e DRC, to subfamily level (IF = Ituri Forest ; SV= Semuliki Valley, Albertine rift ; CFB = Central Forest Belt ; M M = Mount Mitumba ; M B = Mont Blue)**

<b>TAXON</b>	<b>I F</b>	<b>S V</b>	<b>CFB</b>	<b>M M</b>	<b>M B</b>
<b>FAMILY PAPILIONIDAE Latreille, 1802</b>	<b>29</b>	<b>23</b>	<b>23</b>	<b>28</b>	<b>12</b>
<b>FAMILY HESPERIIDAE Latreille, 1809</b>	<b>206</b>	<b>75</b>	<b>45</b>	<b>156</b>	<b>38</b>
Subfamily Coeliadinae Evans, 1937	5	3	2	5	3
Subfamily Pyrginae Burmeister, 1878	59	24	15	48	17
Subfamily Heteropterinae Aurivillius, 1925	0	4	0	4	2
Subfamily Hesperinae Latreille, 1809	142	44	38	99	16
<b>FAMILY NYMPHALIDAE Rafinesque, 1815</b>	<b>451</b>	<b>271</b>	<b>253</b>	<b>381</b>	<b>166</b>
Subfamily Danainae Boisduval, 1833	9	7	6	10	8
Subfamily Libytheinae Boisduval, 1833	1	1	1	1	1
Subfamily Satyrinae Boisduval, 1833	43	32	13	39	25
Subfamily Charaxinae Guenée, 1865	48	40	48	56	30
Subfamily Nymphalidae Rafinesque, 1815	33	26	11	28	19
Subfamily Cyrestinae Guenée, 1865	1	1	1	1	0
Subfamily Biblidinae Boisduval, 1833	13	9	7	11	7
Subfamily Apaturopsis Aurivillius, 1899	1	1	1	1	0
Subfamily Heliconiinae Swainson, 1822	75	62	41	77	33
Subfamily Limenitidinae Behr, 1864	227	92	124	157	43
<b>FAMILY PIERIDAE Swainson, 1820</b>	<b>53</b>	<b>54</b>	<b>15</b>	<b>63</b>	<b>34</b>
Subfamily Pseudopontiinae Reuter, 1896	1	1	0	0	0
Subfamily Coliadinae Swainson, 1821	7	8	4	8	8
Subfamily Pierina Swainson, 1820	45	46	11	55	26
<b>FAMILY RIODINIDAE Grote, 1895</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>2</b>
<b>FAMILY LYCAENIDAE Leach, 1815</b>	<b>425</b>	<b>180</b>	<b>122</b>	<b>339</b>	<b>64</b>
Subfamily Poritiinae Doherty, 1886	199	51	39	167	8
Subfamily Miletinae Reuter, 1896	26	14	7	15	4
Subfamily Aphnaeinae Distant, 1884	26	8	7	19	4
Subfamily Polyommata Swainson, 1827	97	66	42	71	35
Subfamily Lycaeninae Leach, 1815	0	0	0	1	0
Subfamily Theclinae Swainson, 1830	<u>77</u>	<u>41</u>	<u>27</u>	<u>66</u>	<u>13</u>
<b>Taxon totals for each locality</b>	<b>1168</b>	<b>605</b>	<b>460</b>	<b>972</b>	<b>316</b>